

# FLOS

F3157057 Chrome

## IC Lights C/W1 Double

Designed by Michael Anastassiades, 2020




Halogen - 2 x 60W - 2700K - CRI> 95

Wall-ceiling lamp providing diffused light. Frame in brass, brushed and transparent varnished or chrome steel. Blown glass opal diffuser.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)




### Main specifications

EAN	8059607000052
Mounting	Ceiling and wall surface
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E14
Iicos	HSGS
Number of heads	2
Power (W)	60

### Physical

Colour	Chrome
Length (mm)	245
Net weight (kg)	2.7
Package height (mm)	0
Package width (mm)	0
Package length (mm)	0
Package volume (m3)	0.06
IP internal	20

### Download

[Mounting instructions](#)  PDF

[Spare Parts](#)  PDF

### Photometric Files

[LDT / IES](#)  LDT


### Technical Drawings

[Bim](#)  ZIP



IK	IP
07	20

## Schematic light drawing




### Photometric

Lighting type	Total
Light distribution	Symmetric
CCT (K)	2700
CRI>	95

### Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No


## Bulbs



NOT INCLUDED

RF32290


LED Lamp E14 8W 2700K T28



NOT INCLUDED

RF32291


LED Lamp E14 8W 3000K T28



NOT INCLUDED

RF32767

LED Lamp 9W E14 220-240V  
2700K T28




NOT INCLUDED

RF32768

LED Lamp 9W E14 220-240V  
3000K T28

## Spare Parts



- 01. IC Lights 1 diffuser for chrome version F3136057
- 02. Kit with screws and allen key RF3160100

**DOWNLOAD**



F3136057

IC Lights 1 diffuser for chrome  
version



RF3160100


Kit with screws and allen key

# FLOS

F012H00C037 Burgundy Red

**IC C/W1 Outdoor** NEW


Designed by Michael Anastassiades



Light source excluded. Optional LED bulb sold separately. Wall mounting system contains the wiring system. Watertight cable gland included.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



## Main specifications

Mounting	Ceiling and wall surface
Environments	Outdoor wet location
Lamp category	LED retrofit
Ilcos	No

## Physical

Colour	Burgundy Red
Trim	No
Orientation	Fixed
Net weight (kg)	2.2
IP internal	65

## Download

[Mounting instructions](#) ZIP

## Photometric Files

[LDT / IES](#) ZIP

## Technical Drawings


[2D](#) ZIP

[3D](#) ZIP

[Bim](#) ZIP



## Schematic light drawing



## Photometric

Lighting type	Direct
Light distribution	Symmetric

## Electrical


Insulation class	I
Frequency (Hz)	50-60
Main voltage (Vac)	220-240
Dimmable	Yes
Emergency type	No

## Notes

Bulb not included. LED: max 8W - E14

---

## Bulbs



NOT INCLUDED

RF32290

LED Lamp E14 8W 2700K T28



# FLOS

F012J00C059 Brass

## IC C/W2 Outdoor NEW


Designed by Michael Anastassiades



Light source excluded. Optional LED bulb sold separately. Wall mounting system contains the wiring system. Watertight cable gland included.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



### Main specifications

Mounting	Ceiling and wall surface
Environments	Outdoor wet location
Lamp category	LED retrofit
Ilcos	No

### Physical

Colour	Brass
Trim	No
Orientation	Fixed
Net weight (kg)	3.8
IP internal	65

### Download

[Mounting instructions](#) ZIP

### Photometric Files

[LDT / IES](#) ZIP

### Technical Drawings


[2D](#) ZIP

[3D](#) ZIP

[Bim](#) ZIP



### Schematic light drawing



## Photometric

Lighting type	Direct
Light distribution	Symmetric

## Electrical

Insulation class	I
Frequency (Hz)	50-60
Main voltage (Vac)	220-240
Dimmable	Yes
Emergency type	No

## Notes

Bulb not included. LED: max 15W - E27

---


## Bulbs



NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38



NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38