

FLOS

F4633009 White

Overlap Suspension 1

Designed by Michael Anastassiades, 2018




Halogen - 105W

Suspended lamp with diffused light. Internal structure in white powder painted steel. Resin diffuser Cocoon sprayed on the structure, with a transparent protection created by spraying at the end of the machining, ring for substitution of printed steel diffuser in Polished, Gold-plated "Galvanic" finish. Die-cast rose in Zama Polished and Gold-plated "Galvanic" finish.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



Main specifications

EAN	8059607020098
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of heads	1
Power (W)	105

Physical

Colour	White
Length (mm)	655
Cord length (mm)	2700
Net weight (kg)	5.6
Package height (mm)	1000
Package width (mm)	650
Package length (mm)	650
Package volume (m3)	0.42
IP internal	20

Download

- [Mounting instructions](#)  PDF
- [Spare Parts](#)  PDF



IP
20


Photometric

Lighting type	Total
Light distribution	Asymmetric

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No


Bulbs



NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38




NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38

Spare Parts



- | | | |
|-----|---|-----------|
| 01. | Complete rose | RF4630159 |
| 02. | Kit with screws and allen key | RF3160100 |
| 03. | 4mt steel wire Ø1,2 with 19
winded wires | RF01089 |
| 03. | 3 mt steel cable ø1,2 with 19
winded wires | RF29665 |

DOWNLOAD



RF4630159
Complete rose



RF3160100
Kit with screws and allen key



RF01089
4mt steel wire Ø1,2 with 19
winded wires



RF29665
3 mt steel cable Ø1,2 with 19
winded wires

FLOS

F4634009 White

Overlap Suspension 2

Designed by Michael Anastassiades, 2018




Halogen - 2 x 105W

Suspended lamp with diffused light. Internal structure in white powder painted steel. Resin diffuser Cocoon sprayed on the structure, with a transparent protection created by spraying at the end of the machining, ring for substitution of printed steel diffuser in polished, Gold-plated "Galvanic" finish. Die-cast rose in Zama polished and Gold-plated "Galvanic" finish.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

EAN	8059607020104
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of heads	2
Power (W)	105

Physical

Colour	White
Length (mm)	1000
Cord length (mm)	2700
Net weight (kg)	8.8
Package height (mm)	1400
Package width (mm)	900
Package length (mm)	900
Package volume (m3)	1.13
IP internal	20

Download

Mounting instructions [↓ PDF](#)
Spare Parts [↓ PDF](#)



IP
20


Photometric

Lighting type	Total
Light distribution	Asymmetric

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No


Bulbs



NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38




NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38

Spare Parts



- | | | |
|-----|---|-----------|
| 01. | Complete rose | RF4630159 |
| 02. | Kit with screws and allen key | RF3160100 |
| 03. | 4mt steel wire Ø1,2 with 19
winded wires | RF01089 |
| 03. | 3 mt steel cable ø1,2 with 19
winded wires | RF29665 |

DOWNLOAD



RF4630159
Complete rose



RF3160100
Kit with screws and allen key



RF01089
4mt steel wire Ø1,2 with 19
winded wires



RF29665
3 mt steel cable ø1,2 with 19
winded wires