


# FLOS

 F5500035 Red

## Parentesi Element

Designed by Achille Castiglioni and Pio Manzu, 1971



Halogen - 150W

Parentesi complement element - Red

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

### Main specifications

EAN	8059607020388
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGSR
Number of heads	1
Power (W)	150

### Physical

Colour	Red
Net weight (kg)	0.53
Package height (mm)	90
Package width (mm)	150
Package length (mm)	610
Package volume (m3)	0.01
IP internal	20

### Download

Mounting instructions [↓ PDF](#)

### Photometric Files

LDT / IES [↓ LDT](#)


### Technical Drawings

[Bim](#) [↓ ZIP](#)



IP
20

## Schematic light drawing




## Photometric

Lighting type	Direct
Light distribution	Symmetric

## Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Switch Integrated (Remote Dimmable)
Batteries inside	No


## Bulbs



NOT INCLUDED

RF32366

LED Lamp 12W E27 220-240V  
2700K R125



NOT INCLUDED

RF35355

LED Lamp 13W E27 220-240V  
2700K R125

# FLOS

 F5699075 Orange signal

## Parentesi dimmer Element

Designed by Achille Castiglioni and Pio Manzù, 1971



Halogen - 150W

Parentesi dimmer 50 complement element - Orange signal

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

### Main specifications

EAN	8059607041376
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGSR
Number of heads	1
Power (W)	150

### Physical

Colour	Orange signal
Cord length (mm)	4000
Net weight (kg)	0.55
Package height (mm)	90
Package width (mm)	150
Package length (mm)	610
Package volume (m3)	0.01
IP internal	20

### Download

Mounting instructions [↓ PDF](#)

### Photometric Files

LDT / IES [↓ LDT](#)


### Technical Drawings

[Bim](#) [↓ ZIP](#)



IP
20

## Schematic light drawing




## Photometric

Lighting type	Direct
Light distribution	Symmetric

## Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Dimmable	Yes
Dimming interface	Dimmer Integrated
Plug type	Type C
Batteries inside	No


## Bulbs



NOT INCLUDED

RF32366

LED Lamp 12W E27 220-240V  
2700K R125



NOT INCLUDED

RF35355

LED Lamp 13W E27 220-240V  
2700K R125

# FLOS

F5700058 Nickel

## Parentesi dimmer Element

Designed by Achille Castiglioni and Pio Manzu, 1971



Halogen - 150W

Parentesi dimmer complement element - Nickel

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

### Main specifications

EAN	8059607020555
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGSR
Number of heads	1
Power (W)	150

### Physical

Colour	Nickel
Net weight (kg)	0.55
Package height (mm)	90
Package width (mm)	150
Package length (mm)	610
Package volume (m3)	0.01
IP internal	20

### Download


[Mounting instructions](#)  PDF

### Photometric Files


[LDT / IES](#)  LDT

### Technical Drawings

[Bim](#)  ZIP



## Schematic light drawing



### Photometric


Lighting type	Direct
Light distribution	Symmetric

### Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Dimmer Integrated
Batteries inside	No




## Bulbs



NOT INCLUDED

RF32366

LED Lamp 12W E27 220-240V  
2700K R125



NOT INCLUDED

RF35355

LED Lamp 13W E27 220-240V  
2700K R125

# FLOS

■ F5600030 Black

## Parentesi dimmer

Designed by Achille Castiglioni and Pio Manzu, 1971

Halogen - 150W



Lamp providing direct light. Lamp moves vertically via sliding of a painted or nickel-plated shaped steel tube on a ceiling-to-floor steel cable (4000 mm long). Fixture head made of injection-molded black elastomer. On the cable there is the electronic dimmer which allows the regulation of light brightness.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

### Main specifications

EAN	8059607020456
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Iicos	HSGSR
Number of heads	1
Power (W)	150

### Physical

Colour	Black
Length (mm)	110
Cord length (mm)	4000
Net weight (kg)	3.57
Package height (mm)	90
Package width (mm)	150
Package length (mm)	610
Package volume (m3)	0.01
IP internal	20



### Download

[Mounting instructions](#) PDF

[Spare Parts](#) PDF

### Photometric Files

[LDT / IES](#) LDT

### Technical Drawings

[2D](#) ZIP


[3D](#) ZIP

[Bim](#) ZIP



IP
20

## Schematic light drawing



## Photometric

Lighting type	Direct
Light distribution	Symmetric

## Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Dimmer Integrated
Plug type	Type C
Batteries inside	No

## Accessories & Power Supply




OPTIONAL

F5700030

Parentesi dimmer Element


## Bulbs



NOT INCLUDED

RF32366

LED Lamp 12W E27 220-240V  
2700K R125




NOT INCLUDED

RF35355

LED Lamp 13W E27 220-240V  
2700K R125

## Spare Parts



01.	Complete black rose	RF5400130
02.	Anchor hook screw	RF06745
03.	Parentesi 4m steel cable	RF01442
03.	Parentesi 6m steel cable	RF01444
04.	Black tube	RF02600
05.	Parentesi inox turnbuckle & grub screw	RF01438
07.	Hook + nut	RF06747
09.	Parentesi rubber support	RF06068
11.	Led rondo' dimmer 220/240v 40-250w 4-100w	RF28045
12.	Kit wire ties and screw	RF5600200

**DOWNLOAD**



RF5400130

Complete black rose



RF06745

Anchor hook screw



RF01442

Parentesi 4m steel cable



RF01444

Parentesi 6m steel cable



RF02600

Black tube



RF01438

Parentesi inox turnbuckle & grub screw



RF06747

Hook + nut



RF06068

Parentesi rubber support



RF28045

Led rondo' dimmer 220/240v 40-250w 4-100w



RF5600200

Kit wire ties and screw