

Poliform Ubik 1

Index

UBIK Walk-in closet		
Finishes Technical notes Height positioning and alignments	р. р. р.	4 8 9
UBIK walk-in closet without back panels	p.	10
UBIK walk-in closet with back panels Technical drawings and sections Technical description of materials Notes	p. p. p. p.	12 13 33 34
Structural elements	p.	36
Inner equipment	p.	37
Order example Order form	р. р.	72 73

Poliform Ubik 3

Panelling - Inner equipment



- * Only for back panels
- * For colours see page 6.
- ♣ For colours see page 7.

All the glossy glass and mirror panels, regardless of colour, are supplied with an ardesia / champagne perimetral profile.

Hardware - Metal parts






Elements not available in champagne: lighting system

Inner shelves - Chests of drawers tops



* Not available for chest of drawers top

Hanging rails



Chests of drawers structure



Finishes

Chests of drawers fronts



Canvas grigio

Drawers
Trays



Drawers Trays Shoe trays



Drawers Trays Shoe trays



Drawers Trays Shoe trays



Drawers Trays Shoe trays



Drawers Trays Shoe trays



Drawers Trays Shoe trays








Drawers

Shoe trays

Drawers

Drawers inner structure



Poliform Ubik 5

Skin mat lacquer colours



Also available colours:

- 94 Latte
- 93 Moro
- 97 Elefante
- 98 Nocciola

Notes:

For special finishes see "Customizations" section.

Metal lacquer



Notes:

Metal lacquers are obtained by handcrafted production process that can generate slight colour tone changes.

Glossy glass colours









2273 Glossy ghiaccio



Etched glass colours







Notes:

No special or on sample paintings are foreseen for glasses.

Mirror

Mirror **4000** bianco

Top

The shelf cannot be mounted flush with the back panel: always lowered by about 63 mm.

Possibility of further lowering (pitch 32 mm).

Possibility of width and depth reductions.

In case of replacements for corner elements, it is not possible to supply only the left or right part: the entire corner shelf (left + right part) must be supplied.

Prepared with lateral closing brackets.

Flow rate 100 kg/lm: possibility to have reinforced base (flow rate 300

The base is optional: possibility to have walk-in closet without base.

The plinth for walk-in closet is aluminium painted height 37 mm. Possibility to have optional plinth aluminium painted height 72 mm

Possibility of width and depth reductions.

In case of replacements for corner elements, it is not possible to supply only the left or right part: the whole shelf (left + right part) has to be supplied.

Optional plinth cannot be used for out of square corners.

Wooden back panel

Possibility of electrification (not possible after sale).

Possibility of height/width reductions.

Possibility for mansard roof, shaping, through holes.

Possibility of inspection.

In case of replacements for corner elements, only the left or right side can be supplied.

Adjustable feet height 6 mm.

Glass back panel

Possibility of electrification (not possible after sale).

Possibility of height/width reductions.
Impossibility for mansard, shaping, through holes.

Not possible of inspection.

In case of replacements for corner elements, only the left or right side can be supplied.

Adjustable feet height 6 mm.

Initial / end lateral profile

Width 32 mm x depth 60 mm not modifiable.

Possibility of height reductions.

Impossibility for mansard, shaping.

Initial / end latera adjusting filler

Minimum allowed technical width: 60 mm (the fixing rack does not allow a smaller width).

If supplied with w. 300 mm as standard: adaptable on site up to minimum w. 60 mm.

Possibility of height/width reductions.

Possibility for mansard roof, shaping.

Adjustable feet height 6 mm.

Special end profile

Max. width 300 mm / width not modifiable on site / min. available width 60 mm.

Max. depth 150 mm / depth modifiable on site / min. available depth 60 mm.

Possibility of height reductions.

Impossibility for mansard, shaping.

Linear shelves

Can be raised/lowered (pitch 32 mm).

In the finish Tecnocover grain with front/frame it is recommended to use it up to a maximum height of 1630 mm.

Melamine corner shelves with front and Tecnocover grain cannot be used with out of square corners.

Possibility of width/depth reductions.

Shelf in Tecnocover grain with front: not available.

Shoestand inclined shelf shelves

Can be raised/lowered (pitch 32 mm).

Possibility of width reductions.

Impossibility of depth reductions.

Hanging rails

Any reduction in width of the tube can be managed only by Poliform. Possibility of fixing the tube to the shelf (excluding glass shelf) also after

Pull down hanging bar

It can not be used in walk-in closet without back panels.

Chests of drawers

Drawers with full extraction glides and soft closing.

Possibility of reducing drawers in width (except glass drawers).

Possibility of reducing drawers in depth (except shoe trays).

Freestanding chests of drawers tops not available in melamine with front and Tecnocover grain with front.

Hanging chests of drawers

Not available for Ubik without back panel.

Hanging chests of drawers tops not available in Tecnocover grain with

Shirt storage / handbags hanger / shoe shelf

Hanging chests of drawers display case

Not available for Ubik without back panel.

It can be used individually or equipped at the bottom with hanging drawers or tray / trousers hanger.

Inner light and Tecnocover grain bottom already included in the price of the element.

Trousers hanger / Trays

They can not be used with Ubik without back panel.

Impossibility of width/depth reductions.

They can not be used in walk-in closets without back panels.

Possibility of width reduction.

With lamps, the electrification of the plate is already included in the price of the shelf, while the electrification of the back panel has to be calculated separately.

Structural elements, equipment customization

See section "Customizations".

Hardware

See section "Customizations".

Price calculation of the walk-in closet with back panels

Sum the prices of the individual structural components (method used in order confirmation).

For back panels the price of the fixing rack is already included.

Shelf already includes the price of shelf brackets.

In the top of the hanging chests of drawers the price of shelf brackets is already included.

In the base the price of the side brackets is already included. With lamps on the shelves, the electrification of the plate is already included in the price of the shelf, while the electrification of the back panel has to be calculated separately.

Notes for order development

Unless otherwise specified:

- walk-in closet depth 605
- walk-in closet with back panel and with bases
- bases with plinth standard height 37 mm
- inner shelves and chests of drawers tops: finish in melamine
- hanging rails and metal parts: finish in ardesia
- inner drawers: with Track handle
- adjusting fillers: standard width 300 mm
- possible presence of lamps: wall switching by the customer (no remote control)

Height assembly

A space greater than 20 mm is recommended.

Ubik with back panel: a minimum lateral space of 20 mm is required. Ubik without back panel: minimum lateral space of 10 mm is required.

Depth assembly

A front space of at least 50 mm is required with respect to the finished total obstruction of the composition (ex. Ubik with back panels total depth 605-460 / Ubik without back panels total depth 579-434).

Notes for the assembly

No mounting on plasterboard walls.

The hardware supplied does not include screws for the racks fixing on the wall (as we do not know the features of the wall to which they have to be fixed).

Adjustment and levelling


The composition levelling is achieved by adjustable feet mounted on the back panels.


Colour variations

Elements with wooden finishes may be subject to colour variations over time due to light and ageing of the wood.

In case of completion, differences in tone may occur which will fade over

Height positioning and alignments







Poliform Ubik 9

UBIK walk-in closet without back panels


Height positioning and alignments






	description	code
dimensions	finishes	price


Profile with rack for walk-in without back panels wall fixed



UBIK walk-in closet without back panels




UBIK walk-in closet without back panels with equipped linear corner



Poliform Ubik 11

UBIK walk-in closet with back panels




End adjustment filler

FAE - FA9 width 300 FAL width 600

Option to the PL end profile


PT profile for out of square wall




Notes:

- final width PT: to specify on the order (cannot be reduced locally)
- depth PT: it is possible to reduce it locally (min. 60 mm)


Racks typology






Lateral closing


Ubik walk-in closet placed next to wardrobe no end profile: special rack "F"




Panels used as lateral closing



composition management - extra customized back panel (1 cut)



Code: **SL001** melamine €348 melamine skin mat colours (***) € 766 roller (***) € 1.240




Code: **SL002** melamine €348 melamine skin mat colours (***) € 766 roller (***) € 1.240


* central low rack B assembled in milled on the edge of the panel


With back panel in melamine skin mat lacquer colours the visible edge th 25 mm will be in mat lacquer colours.

Profile for out of square corner



Out of square corner





Notes:


For out of square corners, consider a surcharge of € 107 for each shelf or base. It is possible to make out of square corners also with walk-in closet without back panels. In out of square corner it is not possible to assemble hanging chest of drawers.

* it is not possible to use elements:
- optional plinth height 72 mm
- corner shelves with painted ardesia front


- corner shelves in Tecnocover grain with painted ardesia front
 corner shelves in Tecnocover grain with painted ardesia frame
 hanging chests of drawers

Back panels and shelves on corner units


standard corner back panel equipped with standard corner shelf




standard corner back panel equipped with standard shelf width 941



corner back panel with 1 customized side equipped with standard shelf width 941







Notes:

to calculate shelf top height: for example h. 735, consider +/- 32 mm to have all possible heights


Ubik with back panel


linear shelf (min. feasible depth) 200 mm





inclined shoes shelf (cannot be reduced in depth)







Ubik without back panel

linear shelf (min. feasible depth) 200 mm






inclined shoes shelf (cannot be reduced in depth)




Poliform Ubik 17

Heights and shelves

- 1 Freestanding chest of drawers height 359 leaning on the base: **not aligned** with the shelf besides
- 2 Freestanding chest of drawers height 663 leaning on the base: aligned with the shelf besides
- $\fbox{3}$ Freestanding chest of drawers height 967 leaning on the base: **not aligned** with the shelf besides





Typology of shelf-supporting plates




It is important to immediately define if the shelf is aligned with an other shelf or not, because the typology of rack change. If the position of the shelves (aligned or not) is changed during assembly, there will be racks missing.

how ordered







changing during assembly




how ordered





changing during assembly




Legenda

- Lateral left rack
 Central rack
 Lateral right rack


Poliform

Customizations: corner element

Special processing (example with wider right side max. +161 mm) (available only for melamine elements)




Corner walk-in closet with different depth (right side customized depth 400 / left side depth 545 standard) Cut example on a standard corner element Dimensions on cut corner element




Customizations: corner element - back panel for inspection

Corner walk-in closet with back pillar profiling Cut example on a standard corner element

Dimensions on cut corner element




Back panel for inspection



surcharge (processing + opening panel) to add to the back panel price: € 428.

Customizations: depth change


Examples of depth change solutions



How to manage:

- * shelves customized in depth (for shelves see "Customizations" section)

Modified walk-in closet for back central pillar



How to manage:


- ★ shelves customized in depth (for shelves see "Customizations" section
 ★ lamps cannot be inserted
 ★ 1 extra customized back panel: +2 cuts to have partial panels

not possible with:


- glass / mirror back panels

Examples of modified height solutions

different heights: standard linear cut




Examples of modified height solutions different heights: inclined cut



- How to manage:
 standard back panels with cut in height (1 cut)
 1 extra PLE profile to have partial PL (*)

not possible with glass / mirror back panels

How to manage:
- back panels cut in height (1 cut)




measurements verification required by our technical office, for compositions with inclined ceilings, communicate the following measures:

- 1 wall left height
- 2 wall width 3 wall right height


Customizations: change of height

Central panel "below window"



- How to manage:
 back panel with cut in height (1 cut)
 3 PL profiles (♣):
 supplied as standard for 45° reduction and cut on site by customer

Central panel "hanging"




How to manage:


- back panel with cut in height (1 cut)
- supplied as standard for 45° reduction and cut on site by customer

Customizations: change of height

Lateral panel on raised wall




Lateral panel "hanging"




- How to manage:
 back panel with cut in height (1 cut)
 3 extra PL profile have partial PL (★) supplied as standard for 45° reduction and 4 cut on site by customer

Back panel with shaping upper shaping



lower shaping



How to manage:

- back panel with shaping (2 cuts)
 1 extra PL profile to have partial PL (*)

not possible with glass back panels / mirror

Ubik 25


Hanging rails and pull down hanging bars

Hanging rails: positioning

545


288

walk-in closet Ubik d 605 standard




hanging rail dimensions


hanging rail width: shelf width - 2



walk-in closet Ubik d 460 standard

walk-in closet Ubik d 460 standard







Notes:

with walk-in closet d 460 standard or customized consider possible positioning of the hanging rail on the shelf depth (except for glass shelf)

Pull down hanging bar



Lighting system: scheme




- 1 power supply 30-70-150w (built-in on the back of the last back panel)
- 2 plug 3 electric socket 4 wall switch
- 5 remote control unit 6 remote control


Lighting system


Electric system example


Legenda:





- electrification (on the back panel) Е
- shelf-supporting electrified plate













Examples of after sale LED addition: elements to order


Ordered and delivered walk-in closet without LED

- elements to be ordered:
 3 electrified back panels
 5 shelves with LED
 5 shelf-supporting electrified plates






- elements to be ordered: 2 shelves with LED 2 shelf-supporting electrified plates








Chest of drawers display case

Standard solution:


the bottom of the chest of drawers display case element (*) is aligned flush with the bottom of movable shelf or trousers hanger / tray / hanging or free-standing chest of drawers


Notes: not available for Ubik without back panel




element dimensions: width 941 - depth 545 - height 162 / 150

inner dimensions of the pull-out drawer: width 855 - depth 500 - height 95 $\,$






front for walk-in closet





Shirt storage

Shirt storage


3 Elements










4 Elements








Drawers







Poliform


Ubik 31 |

Handbags storage - Shoes storage


Handbags storage









Shoes storage





Drawers



Technical description of materials

BACK PANEL

panel of wooden particles melamine Structure

Thickness 25 mm

Edge ABS

supplied with profile in aluminium painted with rack for Features

shelves fixing. Adjustable feet.

SKIN BACK PANEL

panel of wooden particles melamine mat lacque Structure

Thickness

supplied with profile in aluminium painted with rack for Features

shelves fixing. Adjustable feet.

ROLLER BACK PANEL

panel of wooden particles melamine with methacrylate 25 mm Material

Thickness

supplied with profile in aluminium painted with rack for **Features**

shelves fixing. Adjustable feet.

GLASS BACK PANEL

panel of wooden particles with glass or mirror applied Structure

Thickness

Features supplied with profile in aluminium painted with rack for

shelves fixing. Adjustable feet.

SHELF

CHEST OF DRAWERS TOP IN MELAMINE

panel of wooden particles melamine

Edge ABS Thickness 35 mm

Features supplied with iron plates painted for back panel fixing.

SHELF

CHEST OF DRAWERS TOP IN MELAMINE WITH FRONT

Material panel of wooden particles melamine 35 mm

Thickness Lateral edge

Front aluminium painted

supplied with iron plates painted for back panel fixing Features

SHELF

CHEST OF DRAWERS TOP IN TECNOCOVER GRAIN WITH FRONT

panel of wooden particles melamine Finitura

Tecnocover grain Thickness 35 mm

Front

Features supplied with iron plates painted for back panel fixing.

SHELE

CHEST OF DRAWERS TOP IN TECNOCOVER GRAIN WITH FRAME

panel of wooden particles melamine Material

Finitura . Tecnocover grain Thickness shelf 35 mm aluminium painted Frame

Features supplied with iron plates painted for back panel fixing.

GLASS SHELF GLASS WITH LIGHT

Material tempered fumé glass Thickness shelf 35 mm - glass 4 mm

aluminium painted

supplied with iron plates painted for back panel fixing. Features

BASE

Material panel of wooden particles melamine

ABS Edge Thickness 35 mm

supplied with plinth in aluminium painted and Features

adjustable feet.

CHEST OF DRAWERS STRUCTURE

Material panel of wooden particles melamine 8/15/25 mm

Thickness Edge ABS

Features also available with casters

DRAWER FRONT

Material panel of wooden particles melamine

Thickness ABS Edge

TRACK handle in aluminium painted - STEP handle Features

(optional)

GLASS DRAWER FRONT

Material fumé reflective glass

Thickness 4 mm

rame birch plywood melamine **Features** handle in aluminium painted

ROLLER DRAWER FRONT

panel of wooden particles melamine with methacrylate Material

Thickness 25 mm ABS

TROUSERS HOLDER

Front panel of wooden particles melamine

Edge

Sides medium density panel melamine

panel in solid wood with melamine Back panel

can be equipped with a trouser holder / tray with Features

DRAWER STRUCTURE

Material panel of wooden particles melamine

14 mm sides, 14 mm back panel and 6 mm bottom Thickness

Edge

Features metal runners with ball bearings and soft closing

TRAY

Front solid wood faced with melamine Bottom panel of wooden particles melamine Sides panel of wooden particles melamine

Edge ABS

the "shoes holder" option is supplied with painted small Features

SHIRT HOLDER **BAG HOLDER** SHOE HOLDER

Structure panel of wooden particles melamine

Shelves panel of wooden particles melamine or Tecnocover grain

Thickness . 15 mm ABS Edae

also available with drawers

HANGING CHEST OF DRAWERS WITH GLASS TOP

Structure panel in medium density fibre faced with melamine panel in medium density fibre faced with melamine Fronts


lacquer

fumé glass with silkscreen Top drawers bottom coated with Tecnocover grain equipped Features

with inner light

Poliform Ubik 33

Allowances for assembly in width



1 3 - min. 20 mm.

② - min. 10 mm.

Allowances for assembly in height A space greater than 20 mm is required.

Poliform Ubik 35





BASE

melamine:

- Canvas grigio
- Canvas beige
- Ardesia
- Spessart oak
- Cenere oak
- C. walnut
- Elm

plinth


- Ardesia
- Champagne

SHELF-SUPPORTING PLATES PROFILE WITH RACK (UBIK WITHOUT BACK PANELS):

- Ardesia
- Champagne









BACK PANEL LATERAL PROFILE ADJUSTING FILLER SPECIAL END FILLER

melamine:

- Canvas grigio
- Canvas beige
- Ardesia
- Spessart oak
- Cenere oak - C. walnut
- C. w - Elm

SKIN BACK PANEL LATERAL PROFILE ADJUSTING FILLER SPECIAL END FILLER

melamine mat lacquer colours

SPECIAL ROLLER BACK PANEL LATERAL PROFILE ADJUSTING FILLER SPECIAL END FILLER

- ardesia
- latte

GLASS BLACK PANEL

- mirror bianco 4000
- glossy glass:bianco extralight 2201
- grafite **1204**
- nero **1203**
- canapa 1235
- ghiaccio 2273
- arena **1264**

- etched glass:

- titanio **5325**
- bronzo **5323** acciaio **5380**



SHELVES CHESTS OF DRAWERS TOPS IN MELAMINE

SHELVES/TOPS:

- Canvas grigio
- Canvas beige
- Ardesia
- Spessart oak
- Cenere oak - C. walnut
- Elm



SHELVES CHESTS OF DRAWERS TOPS WITH FRONT

PAINTED FRONT:

- Ardesia
- Champagne

SHELVES/TOPS:

melamine:

- Canvas grigio - Canvas beige
- Ardesia
- Spessart oak
- Cenere oak - C. walnut
- Elm



SHELVES CHESTS OF DRAWERS TOPS WITH FRAME

PAINTED FRAME:

- Ardesia
- Champagne

SHELVES/TOPS:

Tecnocover grain:

- 01 elefante
- **02** moro
- **05** latte
- 06 nocciola

(not available for chest of drawers top): 3050 fumé glass

HANGING RAIL

- Ardesia
- Champagne

Д


HANGING RAIL

HANGING RAILS SUPPORTING -SIDE CLOSING CAPS:

- Ardesia

Tecnocover grain:

- **02** moro
- **05** latte



FREESTANDING/HANGING CHESTS OF DRAWERS **STRUCTURE**

melamine:

- Canvas grigio
- Canvas beige
- Ardesia
- Spessart oak
- Cenere oak
- C. walnut
- Elm

- Champagne

HANGING BAR:

- 01 elefante
- 06 nocciola

Ubik 37

Poliform







CHEST OF DRAWERS FRONTS

LOW DRAWER melamine:

- Canvas grigio
- Canvas beige
- Ardesia
- Spessart oak
- Cenere oak
- C. walnut
- Elm

CHEST OF DRAWERS FRONTS

ROLLER LOW DRAWER

- ardesia
- latte

CHEST OF DRAWERS FRONTS

GLASS DRAWER

5059 fumé reflective





CHEST OF DRAWERS FRONTS

HIGH DRAWER

melamine:

- Canvas grigio - Canvas beige
- Ardesia
- Spessart oak
- Cenere oak
- C. walnut
- Elm

CHEST OF DRAWERS FRONTS

ROLLER HIGH DRAWER

- ardesia latte





CHEST OF DRAWERS FRONTS

TRAY

melamine:

- Canvas grigio
- Canvas beige - Ardesia
- Spessart oak
- Cenere oak - C. walnut
- Elm

CHEST OF DRAWERS FRONTS

SHOE TRAY melamine:

- Canvas grigio
- Canvas beige
- Ardesia
- Spessart oak - Cenere oak
- C. walnut
- Elm









TRAYS FRONTS

TRAY

melamine:

- Canvas grigio - Canvas beige
- Ardesia
- Spessart oak
- Cenere oak - C. walnut
- Elm
- воттом
- Tecnocover grain colours

TRAYS FRONTS

ROLLER TRAY

- ardesia
- latte

воттом

- Tecnocover grain colours

TRAYS FRONTS

TROUSERS HOLDER melamine:

- Canvas grigio
- Canvas beige
- Ardesia
- Spessart oak
- Cenere oak
- C. walnut
- Elm

TRAYS FRONTS

ROLLER TROUSERS HOLDER

- ardesia
- latte


Modularity


Notes:


total widths with PL lateral 2 profiles width 32 mm



























450	244	0.44	0.44 4.50
400 8	94 I	941	941 400



