

# Wireflow Chandelier

Design by Arik Levy


Wireflow Chandelier is a contemporary reimagining of the traditional fixture. Its ultramodern silhouette provides an unexpected twist, while its graceful lines echo with a sense of timeless elegance. Though substantial in size its airy outline creates a feeling of transparency.

## Pendant

20 LEDs

**0315**


120 x 279 cm



43 LEDs

**0374**


150 x 307 cm



43 LEDs

**0375**

150 x 396 cm



42 LEDs

**0376**


150 x 112 cm



42 LEDs

**0377**

150 x 194 cm





42 LEDs

**0378**

150 x 276 cm



Personalise your own Wireflow Chandelier composition quick and easy at [vibia.com](http://vibia.com)




For configurations longer than 9 m, please ask Vibia customer service.



# Wireflow Chandelier

0315



Finishes  
 ● **04/** \_\_ Black  
 (RAL 9005)

LED Colour Temperature  
 /1 \_ 2700 K - 9700 lm  
 **D**  
 /2 \_ 3000 K - 9700 lm  
 /3 \_ 3500 K - 10006,1 lm  
 **E**  
 CRI >90


Control  
**0315** \_\_ / \_\_  
 \_\_ / \_\_ A Push; 1-10V; DALI-2  
 \_\_ / \_\_ Z Casambi

Materials  
 Diffuser: Pressed-glass. Body: Aluminum.  
 Canopy and horizontal rods: Steel.


Light Source and electronics  
 20 x LED 4,5 W 700 mA  
 Constant Current 700 mA  
 100~240V 50/60Hz

Packaging  
 2 Boxes  
 Total Vol 0,3832 m<sup>3</sup>  
 Gross weight 32 Kg Net weight 18 Kg

Notes  
 Configuration layout at [vibia.com](http://vibia.com)  
 Min. quantity, upcharge and extra  
 lead time apply



0374



Finishes  
 ● **04/** \_\_ Black  
 (RAL 9005)

LED Colour Temperature  
 /1 \_ 2700 K - 20855 lm  
 **D**  
 /2 \_ 3000 K - 20855 lm  
 /3 \_ 3500 K - 21513,1 lm  
 **E**  
 CRI >90

Control  
**0374** \_\_ / \_\_  
 \_\_ / \_\_ A Push; 1-10V; DALI-2  
 \_\_ / \_\_ Z Casambi

Materials  
 Diffuser: Pressed-glass. Body: Aluminum.  
 Canopy and horizontal rods: Steel.


Light Source and electronics  
 43 x LED 4,5 W 700 mA  
 Constant Current 700 mA  
 100~240V 50/60Hz

Packaging  
 2 Boxes  
 Total Vol 0,5000 m<sup>3</sup>  
 Gross weight 57 Kg Net weight 47 Kg

Notes  
 Configuration layout at [vibia.com](http://vibia.com)  
 Min. quantity, upcharge and extra  
 lead time apply



0375



Finishes  
 ● **04/** \_\_ Black  
 (RAL 9005)

LED Colour Temperature  
 /1 \_ 2700 K - 20855 lm  
 **D**  
 /2 \_ 3000 K - 20855 lm  
 /3 \_ 3500 K - 21513,1 lm  
 **E**  
 CRI >90

Control  
**0375** \_\_ / \_\_  
 \_\_ / \_\_ A Push; 1-10V; DALI-2  
 \_\_ / \_\_ Z Casambi

Materials  
 Diffuser: Pressed-glass. Body: Aluminum.  
 Canopy and horizontal rods: Steel.


Light Source and electronics  
 43 x LED 4,5 W 700 mA  
 Constant Current 700 mA  
 100~240V 50/60Hz

Packaging  
 2 Boxes  
 Total Vol 0,5000 m<sup>3</sup>  
 Gross weight 57 Kg Net weight 47 Kg

Notes  
 Configuration layout at [vibia.com](http://vibia.com)  
 Min. quantity, upcharge and extra  
 lead time apply



0376



Finishes  
 ● 04/ \_ \_ Black (RAL 9005)

LED Colour Temperature  
 /1 \_ 2700 K - 20370 lm  
   
 /2 \_ 3000 K - 20370 lm  
 /3 \_ 3500 K - 21012,8 lm  
   
 CRI >90

Control

0376 \_ \_ / \_ \_  
 \_ \_ / \_ A Push; 1-10V; DALI-2  
 \_ \_ / \_ Z Casambi

Materials

Diffuser: Pressed-glass. Body: Aluminum.  
 Canopy and horizontal rods: Steel.

Light Source and electronics

42 x LED 4,5 W 700 mA  
 Constant Current 700 mA  
 100~240V 50/60Hz

Packaging


2 Boxes  
 Total Vol 0,5000 m<sup>3</sup>  
 Gross weight 56 Kg Net weight 46 Kg

Notes

Configuration layout at [vibia.com](http://vibia.com)  
 Min. quantity, upcharge and extra lead time apply



0377



Finishes  
 ● 04/ \_ \_ Black (RAL 9005)

LED Colour Temperature  
 /1 \_ 2700 K - 20370 lm  
   
 /2 \_ 3000 K - 20370 lm  
 /3 \_ 3500 K - 21012,8 lm  
   
 CRI >90

Control

0377 \_ \_ / \_ \_  
 \_ \_ / \_ A Push; 1-10V; DALI-2  
 \_ \_ / \_ Z Casambi

Materials

Diffuser: Pressed-glass. Body: Aluminum.  
 Canopy and horizontal rods: Steel.

Light Source and electronics

42 x LED 4,5 W 700 mA  
 Constant Current 700 mA  
 100~240V 50/60Hz

Packaging


2 Boxes  
 Total Vol 0,5000 m<sup>3</sup>  
 Gross weight 56 Kg Net weight 46 Kg

Notes

Configuration layout at [vibia.com](http://vibia.com)  
 Min. quantity, upcharge and extra lead time apply



0378



Finishes  
 ● 04/ \_ \_ Black (RAL 9005)

LED Colour Temperature  
 /1 \_ 2700 K - 20370 lm  
   
 /2 \_ 3000 K - 20370 lm  
 /3 \_ 3500 K - 21012,8 lm  
   
 CRI >90

Control

0378 \_ \_ / \_ \_  
 \_ \_ / \_ A Push; 1-10V; DALI-2  
 \_ \_ / \_ Z Casambi

Materials

Diffuser: Pressed-glass. Body: Aluminum.  
 Canopy and horizontal rods: Steel.

Light Source and electronics

42 x LED 4,5 W 700 mA  
 Constant Current 700 mA  
 100~240V 50/60Hz

Packaging

2 Boxes  
 Total Vol 0,5000 m<sup>3</sup>  
 Gross weight 56 Kg Net weight 46 Kg

Notes

Configuration layout at [vibia.com](http://vibia.com)  
 Min. quantity, upcharge and extra lead time apply

