

Algorithm Free

Design by Toan Nguyen

Like a cloud of frozen rain, this collection brings together beauty and geometry. Each unique grouping of globes defines areas of interior space, underlining their multiple uses while becoming a single aesthetic element.

1160	10	/1A	18
Model	Finish	LED Colour Temperature	Control
Electrical connection Only for pendant			

INDIVIDUAL MODEL

Pendant

0820
Ø 9 cm




0820

Finishes
● **18/** _ _ Graphite
(ADAPTA RF9913WX)


LED Colour Temperature
/1 _ 2700 K - 312,28 lm
E
/3 _ 3500 K - 312,3 lm
F
CRI >90

Control
0820 _ _ / _ _

_ _ / _ A Push; 1-10V; DALI-2
_ _ / _ Z Casambi



Select Electrical connection



_10 Surface
_18 Free Wire
_23 Built-in XS
_31 Remote Micro
_32 Remote XXS

Materials

Sphere: Blown-glass. Diffuser: PC- Polycarbonate.
Glass fastening: Aluminum. Canopy: Steel.
Pendant structure: Steel. LED support: Aluminum.

Light Source and electronics

1 x LED 3,15 W 1050 mA
Constant Current 1050 mA
100~240V 50/60Hz

Packaging

1 Box 0,18 x 0,55 x 0,55 m
Vol 0,0131 m³
Gross weight 2,17 Kg Net weight 1,57 Kg

Notes

Surface.
Extra cable length.





MULTIPLE MODELS

Select your model at vibia.com and adjust




2 x 0820



3 x 0820



3 x 0820



3 x 0820



4 x 0820



4 x 0820



5 x 0820



5 x 0820



5 x 0820



7 x 0820



6 x 0820



7 x 0820



15 x 0820



9 x 0820




10 x 0820




20 x 0820



41 x 0820



30 x 0820



54 x 0820

See more
multiple models
at vibia.com

Finishes

● 18/ _ _ Graphite
(ADAPTA RF9913WX)

LED Colour Temperature

/1_ 2700 K
/3_ 3500 K
CRI >90

Control

0820 _ _ / _ _
_ _ / _ A Push; 1-10V; DALI-2
_ _ / _ Z Casambi


⚡ Select Electrical connection

For each composition, the optimal minimum number of drivers will be delivered.

For Ref. 0820

Drop ceiling

_31
Remote Micro



Ø 3 cm
height 7 cm

for plaster ceilings.
Black finish.

_32
Remote XXS



Ø 6 cm
height 6 cm

for all types of drop ceilings.
Match with fixture finish.

_23
Built-in XS



Ø 8 cm
height 6 cm

match with fixture finish.


Regular ceiling

_10
Surface



Ø 19 cm

match with fixture finish.




Ø 22 cm

you can choose the finish of the canopy among black, white or any colour matching one of the pendant.




Ø 36 cm




Ø 40 cm

Remote



Built-in



Materials

Sphere: Blown-glass. Diffuser: PC- Polycarbonate.
Glass fastening: Aluminum. Canopy: Steel.
Pendant structure: Steel. LED support: Aluminum.

Notes

Additional cable length
from 2 m. 16,00 €/m

LED IP20 CE UK ENE Bi-volt