

Slim

Design by Jordi Vilardell

Streamlined and refined,
Slim serves as a sleek punctuation mark.

Pendant





INDIVIDUAL MODEL

0920

Ø 2,6 cm



MULTIPLE MODELS




INDIVIDUAL MODEL

0920


- Finishes**
- 10/ __ White (NCS S 0300-N)
 - 11/ __ Black (NCS S 8500-N)
 - 24/ __ Beige M1 (NCS S 2005-Y50R)
 - 37/ __ Terra Red (NCS S 4040-Y70R)
 - 47/ __ Green L1 (NCS S 4005-G80Y)
 - 68/ __ Ocre (NCS S 3050-Y30R)
- Finish customization**
 (Available options: Vibia colour palette.)
 Minimum quantity 10 units. Price + 10%

- LED Colour Temperature**
- /1 _ 2700 K - 181,22 lm
F
 - /2 _ 3000 K - 163,2 lm
G
 - /3 _ 3500 K - 207,6 lm
F
- CRI >90

- Control**
- 0920 __ / __
- __ / _ 0 On/ Off
 - __ / _ 1 DALI-2
 - __ / _ B Push; 1-10V
 - __ / _ Z Casambi



Select Electrical connection



- _10 Surface
- _18 Free Wire
- _23 Built-in XS
- _31 Remote Micro
- _32 Remote XXS

Materials
 Diffuser: Glass.
 Body: FG- Fiberglass.
 Canopy: Steel.

Light Source and electronics
 1 x LED 2,1 W 700 mA
 Constant Current 700 mA
 100-240V 50/60Hz

Packaging
 1 Box 0,07 x 0,19 x 1,20 m
 Vol 0,0155 m³
 Gross weight 2,14 Kg Net weight 1,2 Kg


Notes
 Surface.
 Extra cable length.

LED IP20 CE UK ENE Bi-volt



MULTIPLE MODELS

Select your model at vibia.com and adjust



See more
multiple models
at vibia.com

Finishes

- **10/** __ _ White
(NCS S 0300-N)
- **11/** __ _ Black
(NCS S 8500-N)
- **24/** __ _ Beige M1
(NCS S 2005-Y50R)
- **37/** __ _ Terra Red
(NCS S 4040-Y70R)
- **47/** __ _ Green L1
(NCS S 4005-G80Y)
- **68/** __ _ Ocre
(NCS S 3050-Y30R)

Finish customization
(Available options:
Vibia colour palette.
Minimum quantity
10 units. Price + 10%)

LED Colour Temperature

- /1** _ 2700 K
- /2** _ 3000 K
- /3** _ 3500 K
- CRI >90

Control

Model __ / __




__ / _ **0** On/ Off
 __ / _ **1** DALI-2
 __ / _ **B** Push; 1-10V
 __ / _ **Z** Casambi

Select Electrical connection

For each composition, the optimal minimum number of drivers will be delivered.

For Ref. 0920 __ / __ / 0

Drop ceiling

<p>_31 Remote Micro</p>  <p>Ø 3 cm height 7 cm</p> <p>for plaster ceilings. Black finish.</p>	<p>_32 Remote XXS</p>  <p>Ø 6 cm height 6 cm</p> <p>for all types of drop ceilings. Match with fixture finish.</p>	<p>_23 Built-in XS</p>  <p>Ø 8 cm height 6 cm</p> <p>match with fixture finish.</p>
---	--	---




Regular ceiling

<p>_10 Surface</p>  <p>Ø 17,3 cm</p> <p>match with fixture finish.</p>	<p>_18 Free Wire</p>  <p>1 - 3 wires</p> <p>Ø 20 cm</p>	 <p>4 - 6 wires</p> <p>Ø 36 cm</p>	 <p>7 - 9 wires</p> <p>Ø 40 cm</p>
--	---	--	---





you can choose the finish of the canopy among black, white or any colour matching one of the pendant.

For Ref. 0920 __ / __ / 1 / _ B / _ Z

Drop ceiling


<p>_31 Remote Micro</p>  <p>Ø 3 cm height 7 cm</p> <p>for plaster ceilings. Black finish.</p>	<p>_32 Remote XXS</p>  <p>Ø 6 cm height 6 cm</p> <p>for all types of drop ceilings. Match with fixture finish.</p>	<p>_23 Built-in XS</p>  <p>Ø 8 cm height 6 cm</p> <p>match with fixture finish.</p>
---	--	---

Regular ceiling


<p>_10 Surface</p>  <p>Ø 20 cm</p> <p>match with fixture finish.</p>	<p>_18 Free Wire</p>  <p>1 wire</p> <p>Ø 20 cm</p>	 <p>2 - 6 wires</p> <p>Ø 36 cm</p>	 <p>7 - 9 wires</p> <p>Ø 40 cm</p>
--	--	--	---

you can choose the finish of the canopy among black, white or any colour matching one of the pendant.

Remote



Built-in




Materials


Diffuser: Glass. Body: FG- Fiberglass .
Canopy: Steel.

Notes

Additional cable length
from 2 m. 16,00 €/m




Pendant



MULTIPLE MODELS

0917



- Finishes**
- 10/ __ White (NCS S 0300-N)
 - 11/ __ Black (NCS S 8500-N)
 - 24/ __ Beige M1 (NCS S 2005-Y50R)
 - 37/ __ Terra Red (NCS S 4040-Y70R)
 - 47/ __ Green L1 (NCS S 4005-G80Y)
 - 68/ __ Ocre (NCS S 3050-Y30R)

Finish customization
 (Available options:
 Vibia colour palette.
 Minimum quantity
 10 units. Price + 10%)

Materials
 Diffuser: Glass.
 Body: FG- Fiberglass.
 Canopy: Steel.


Light Source and electronics
 4 x LED 2,1 W 700mA
 Constant Current 700 mA
 110-240V 50/60Hz

- LED Colour Temperature**
- /1_ 2700 K - 724,88 lm
 F
 - /2_ 3000 K - 652,8 lm
 G
 - /3_ 3500 K - 830,6 lm
 F
- CRI >90
 CRI >80
 CRI >90


- Control**
- 0917 __ / __
-
- __ / _ 1 DALI-2
 __ / _ B Push; 1-10V
 __ / _ Z Casambi

Packaging
 1 Box 0,22 x 0,48 x 1,20 m
 Vol 0,1278 m³
 Gross weight 8 Kg Net weight 5,2 Kg

Notes
 Surface.
 Extra cable length.
UNTIL STOCK RUNS OUT



0931



- Finishes**
- 10/ __ White (NCS S 0300-N)
 - 11/ __ Black (NCS S 8500-N)
 - 24/ __ Beige M1 (NCS S 2005-Y50R)
 - 37/ __ Terra Red (NCS S 4040-Y70R)
 - 47/ __ Green L1 (NCS S 4005-G80Y)
 - 68/ __ Ocre (NCS S 3050-Y30R)
- Finish customization**
 (Available options: Vibia colour palette.)
 Minimum quantity 10 units. Price + 10%)

- LED Colour Temperature**
- /1_ 2700 K - 724,88 lm
[F]
 - CRI >90
 - /2_ 3000 K - 652,8 lm
[G]
 - CRI >80
 - /3_ 3500 K - 830,6 lm
[F]
 - CRI >90

- Control**
- 0931 __ / __
-
- __ / _ 1 DALI-2
- __ / _ B Push; 1-10V
- __ / _ Z Casambi

Materials

Diffuser: Glass.
 Body: FG- Fiberglass.
 Canopy: Steel.

Light Source and electronics

4 x LED 2,1 W 700 mA
 Constant Current 700 mA
 100~240V 50/60Hz

Packaging


1 Box 0,22 x 0,48 x 1,20 m
 Vol 0,1267 m³
 Gross weight 8 Kg Net weight 5,2 Kg

Notes

Surface.
 Extra cable length.
UNTIL STOCK RUNS OUT



0933



- Finishes**
- 10/ __ White (NCS S 0300-N)
 - 11/ __ Black (NCS S 8500-N)
 - 24/ __ Beige M1 (NCS S 2005-Y50R)
 - 37/ __ Terra Red (NCS S 4040-Y70R)
 - 47/ __ Green L1 (NCS S 4005-G80Y)
 - 68/ __ Ocre (NCS S 3050-Y30R)
- Finish customization**
 (Available options: Vibia colour palette.)
 Minimum quantity 10 units. Price + 10%)

- LED Colour Temperature**
- /1_ 2700 K - 1087,32 lm
[F]
 - CRI >90
 - /2_ 3000 K - 979,2 lm
[G]
 - CRI >90
 - /3_ 3500 K - 1245,9 lm
[F]
 - CRI >90

- Control**
- 0933 __ / __
-
- __ / _ 1 DALI-2
- __ / _ B Push; 1-10V
- __ / _ Z Casambi

Materials

Diffuser: Glass.
 Body: FG- Fiberglass.
 Canopy: Steel.

Light Source and electronics

6 x LED 2,1 W 700 mA
 Constant Current 700 mA
 110~240V 50/60Hz

Packaging


1 Box 0,22 x 0,48 x 1,20 m
 Vol 0,1267 m³
 Gross weight 12,5 Kg Net weight 9,1 Kg

Notes

Surface.
 Extra cable length.
UNTIL STOCK RUNS OUT



0935



- Finishes**
- 10/ __ White (NCS S 0300-N)
 - 11/ __ Black (NCS S 8500-N)
 - 24/ __ Beige M1 (NCS S 2005-Y50R)
 - 37/ __ Terra Red (NCS S 4040-Y70R)
 - 47/ __ Green L1 (NCS S 4005-G80Y)
 - 68/ __ Ocre (NCS S 3050-Y30R)

Finish customization
(Available options:
Vibia colour palette.
Minimum quantity
10 units. Price + 10%)

Materials

Diffuser: Glass.
Body: FG- Fiberglass.
Canopy: Steel.

Light Source and electronics

10 x LED 1W 350 mA
Constant Current 350 mA
110-240V 50/60Hz

LED Colour Temperature

- /1 _ 2700 K - 954,5 lm
CRI >90
- /2 _ 3000 K - 1140 lm
CRI >80
- /3 _ 3500 K - 1093,7 lm
CRI >90

F

Control

0935 __ / __

- __ / _ 1 DALI-2
- __ / _ B Push; 1-10V
- __ / _ Z Casambi

Packaging

1 Box 1,14 x 1,14 x 0,34 m
Vol 0,4410 m³
Gross weight 19,2 Kg Net weight 14,2 Kg


Notes

Surface.
Extra cable length.

UNTIL STOCK RUNS OUT

LED **IP20** **CE** **UK** **ERC** **Bi-volt**

0937



- Finishes**
- 10/ __ White (NCS S 0300-N)
 - 11/ __ Black (NCS S 8500-N)
 - 24/ __ Beige M1 (NCS S 2005-Y50R)
 - 37/ __ Terra Red (NCS S 4040-Y70R)
 - 47/ __ Green L1 (NCS S 4005-G80Y)
 - 68/ __ Ocre (NCS S 3050-Y30R)

Finish customization
(Available options:
Vibia colour palette.
Minimum quantity
10 units. Price + 10%)

Materials

Diffuser: Glass.
Body: FG- Fiberglass.
Canopy: Steel.

Light Source and electronics

13 x LED 2,1W 700mA
Constant Current 700 mA
110-240V 50/60Hz

LED Colour Temperature

- /1 _ 2700 K - 2355,86 lm
F
- /2 _ 3000 K - 2121,6 lm
G
- /3 _ 3500 K - 2699,4 lm
F

Control

0937 __ / __

- __ / _ 1 DALI-2
- __ / _ B Push; 1-10V
- __ / _ Z Casambi

Packaging

1 Box 0,22 x 0,48 x 1,20 m
Vol 0,1267 m³
Gross weight 12,5 Kg Net weight 18,46 Kg


Notes

Surface.
Extra cable length.

UNTIL STOCK RUNS OUT

LED **IP20** **CE** **UK** **ERC** **Bi-volt**

0940



- Finishes**
- 10/ __ White (NCS S 0300-N)
 - 11/ __ Black (NCS S 8500-N)
 - 24/ __ Beige M1 (NCS S 2005-Y50R)
 - 37/ __ Terra Red (NCS S 4040-Y70R)
 - 47/ __ Green L1 (NCS S 4005-G80Y)
 - 68/ __ Ocre (NCS S 3050-Y30R)
- Finish customization**
(Available options: Vibia colour palette.)
- Minimum quantity**
10 units. Price + 10%

- LED Colour Temperature**
- /1 _ 2700 K - 2099,9 lm CRI >90
 - /2 _ 3000 K - 2508 lm CRI >80
 - /3 _ 3500 K - 2406,1 lm CRI >90
- F

- Control**
- 0940 __ / __
-
- __ / _ 1 DALI-2
- __ / _ B Push; 1-10V
- __ / _ Z Casambi

Materials

Diffuser: Glass.
Body: FG- Fiberglass.
Canopy: Steel.

Light Source and electronics

22 x LED 1 W 350 mA
Constant Current 350 mA
110-240V 50/60Hz

Packaging

1 Box 1,14 x 1,14 x 0,34 m
Vol 0,4420 m³
Gross weight 29,9 Kg Net weight 21,9 Kg

Notes

Surface.
Extra cable length.
UNTIL STOCK RUNS OUT

