

Flamingo Mini

Design by Antoni Arola

Flamingo Mini creates multi-layered silhouettes with an avant-garde, intriguing aesthetic. This hanging lamp recalls a bird hovering overhead, bringing an intimate ambience as it casts diffuse gradations of soothing light through its translucent diffuser.

Pendant

1590

Ø 45 cm

1575

Ø 45 cm

1580

Ø 9 cm



1585

Ø 45 cm

Option A

Option B

Option C



Three options of installation

1575

Finishes

- 11/ _ Black (NCS S 8500-N)

LED Colour Temperature

/1 _ 2700 K - 726 lm



CRI >90

Control

1575 _ _ / _ _

_ _ / 11 DALI-2

_ _ / 1B Push; 1-10V

_ _ / 1Z Casambi

⚡ Select Electrical connection




Surface



Built-in XS

_10 Surface
_23 Built-in XS



Materials

Diffuser: PMMA.
Rods: Stainless steel.
Body: Aluminum.
Canopy: ABS.

Light Source and electronics

2 x LED 3W 175 mA
Constant current 350 mA
110-240Vac 50/60Hz

Packaging

2 Boxes
Box 1: 0,07 x 0,07 x 1,25 m
Box 2: 0,51 x 0,51 x 0,16 m
Total Vol 0,0478 m³
Gross weight 5,5 Kg Net weight 4 Kg

Notes

Additional cable length
personalisation 16,00 €/m

LED IP20 CE ENEC Bi-volt

1580


Finishes
● 11/ __ Black
(NCS S 8500-N)

LED Colour Temperature
/1_ 2700 K - 726 lm
E →
CRI >90

Control

1580 __ / __

__ / 11 DALI-2
__ / 1B Push; 1-10V
__ / 1Z Casambi



⚡ Select Electrical connection



Surface Built-in XS

_10 Surface
_23 Built-in XS

Materials

Diffuser: PMMA.
Rods: Stainless steel.
Body: Aluminum.
Canopy: ABS.

Light Source and electronics

2 x LED 3W 175 mA
Constant current 350 mA
110-240Vac 50/60Hz

Packaging

2 Boxes
Box 1: 0,068 x 0,068 x 1,25 m
Box 2: 0,20 x 0,21 x 0,13 m
Total Vol 0,0112 m³
Gross weight 4 Kg Net weight 3 Kg

Notes

Additional cable length
personalisation 16,00 €/m

LED IP20 CE ENEC ENEC Bi-volt

1585


Finishes
● 11/ __ Black
(NCS S 8500-N)

LED Colour Temperature
/1_ 2700 K - 726 lm
E →
CRI >90

Control

1585 __ / __

__ / 11 DALI-2
__ / 1B Push; 1-10V
__ / 1Z Casambi



⚡ Select Electrical connection



Surface Built-in XS

_10 Surface
_23 Built-in XS

Materials

Diffuser: PMMA.
Rods: Stainless steel.
Body: Aluminum.
Canopy: ABS.

Light Source and electronics

2 x LED 3W 175 mA
Constant current 350 mA
110-240Vac 50/60Hz

Packaging

2 Boxes
Box 1: 0,07 x 0,07 x 1,25 m
Box 2: 0,51 x 0,51 x 0,16 m
Total Vol 0,0478 m³
Gross weight 5,5 Kg Net weight 4 Kg

Notes

Additional cable length
personalisation 16,00 €/m

LED IP20 CE ENEC ENEC Bi-volt


1590

Finishes
 11/ _ _ Black
 (NCS S 8500-N)

LED Colour Temperature
 /1 _ 2700 K - 1152 lm

CRI >90

Control
1590 _ _ / _ _
 _ _ / **11** DALI-2
 _ _ / **1B** Push; 1-10V
 _ _ / **1Z** Casambi



Select Electrical connection



Surface Built-in XS


_10 Surface
 _23 Built-in XS

Materials
 Diffuser: PMMA.
 Rods: Stainless steel.
 Body: Aluminum.
 Canopy: ABS.

Light Source and electronics
 3 x LED COB 3W 185 mA
 Constant Current 550 mA
 110-240Vac 50/60Hz

Packaging
 2 Boxes
 Box 1: 0,07 x 0,07 x 1,60 m
 Box 2: 0,51 x 0,51 x 0,16 m
 Total Vol 0,0494 m³
 Gross weight 6,5 Kg Net weight 5 Kg

Notes
 Additional cable length
 personalisation **16,00 €/m**



Select Electrical connection

Choose your preferred installation option according to your needs.

Drop ceiling

_23
 Built-in XS



Ø 8 cm
 height 6 cm
 black finish.

Regular ceiling

_10
 Surface



Ø 16 cm
 black finish.

Built-in

