


Rhythm Vertical

Design by Arik Levy


Minimalist in form yet simultaneously complex, Rhythm features slender light modules of varying lengths, each fitted with an LED, that can be arranged in endless configurations. Fluid and flowing or angular and anarchic, the collection offers total freedom of composition.

Pendant


Stick 47 cm




Stick 87 cm



Each project is unique.
Personalise your own
Rhythm composition
quick and easy.



2141



Finishes
 ● 14/ __ Chocolate (RAL 8019)
 ● 58/ __ Off-White (RAL D2 1109005)

LED Colour Temperature
 /1 _ 2700 K - 8664 lm
 /3 _ 3500 K - 9157 lm
 □ ▸
 CRI >90

Control
 2141 __ / __
 __ / _ 1 DALI-2
 __ / _ 3 1-10V
 __ / _ Z Casambi

Materials
 Stick: Polyamide 6 with 10% of Fiberglass.
 Diffuser: Polycarbonate.
 Canopy: Steel.

Light Source and electronics
 20 x LED STRIP 30V 2,9 W
 Constant Voltage 30V
 100~240V 50/60Hz


Packaging
 2 Boxes
 Total Vol 0,5850 m³
 Gross weight 10,3 Kg Net weight 7,4 Kg

Notes
 219114 Built-in accessory (96 mm) chocolate
 219158 Built-in accessory (96 mm) off-white

Surface and built-in fitting.
 Extra cable length.

LED IP20 CE UK ENE Bi-volt
 ∅ 18,5 cm Only for built-in

2142



Finishes
 ● 14/ __ Chocolate (RAL 8019)
 ● 58/ __ Off-White (RAL D2 1109005)

LED Colour Temperature
 /1 2700 K - 12996 lm
 /3 3500 K - 13736 lm
 □ ▸
 CRI >90

Control
 2142 __ / __
 __ / _ 1 DALI-2
 __ / _ 3 1-10V
 __ / _ Z Casambi

Materials
 Stick: Polyamide 6 with 10% of Fiberglass.
 Diffuser: Polycarbonate.
 Canopy: Steel.

Light Source and electronics
 30 x LED STRIP 30V 2,9 W
 Constant Voltage 30V
 100~240V 50/60Hz


Packaging
 2 Boxes
 Total Vol 0,6239 m³
 Gross weight 13,7 Kg Net weight 8,2 Kg

Notes
 219114 Built-in accessory (96 mm) chocolate
 219158 Built-in accessory (96 mm) off-white

Surface and built-in fitting.
 Extra cable length.

LED IP20 CE UK ENE Bi-volt
 ∅ 18,5 cm Only for built-in

2143



- Finishes
- 14/ __ Chocolate (RAL 8019)
 - 58/ __ Off-White (RAL D2 1109005)

LED Colour Temperature

- /1 _ 2700 K - 8664 lm
- /3 _ 3500 K - 9157 lm

□ →

CRI >90

Control

2143 __ / __

- __ / _ 1 DALI-2
- __ / _ 3 1-10V
- __ / _ Z Casambi

Materials

Stick: Polyamide 6 with 10% of Fiberglass.
 Diffuser: Polycarbonate.
 Canopy: Steel.

Light Source and electronics

40 x LED STRIP 30V 2,9 W
 Constant Voltage 30V
 100-240V 50/60Hz

Packaging

2 Boxes
 Total Vol 0,6600 m³
 Gross weight 16,9 Kg Net weight 13 Kg


Notes

219114 Built-in accessory (96 mm) chocolate
 219158 Built-in accessory (96 mm) off-white

Surface and built-in fitting.
 Extra cable length.



2165
Wood



- Finishes
- 82/ __ White oak
 - 83/ __ American walnut

LED Colour Temperature

- /1 _ 2700 K - 5893 lm
- /3 _ 3500 K - 6213 lm

□ →

CRI >90

Control

2165 __ / __

- __ / _ 1 DALI-2
- __ / _ 3 1-10V
- __ / _ Z Casambi

Materials

Stick: Wood. Spacers: Aluminum.
 Diffuser: Polycarbonate.
 Canopy: Steel.

Light Source and electronics

8 x LED STRIP 5,8W 30V
 Constant Voltage 30V
 100-240V 50/60Hz

Packaging

2 Boxes
 Total Vol 0,1570 m³
 Gross weight 8,5 Kg Net weight 6,3 Kg


Notes

219282 Built-in accessory (136 mm) Beige D1
 219283 Built-in accessory (136 mm) Brown D1

Surface and built-in fitting.
 Extra cable length.



2167
Wood



- Finishes
- 82/ __ White oak
 - 83/ __ American walnut

LED Colour Temperature

- /1 _ 2700 K - 11049 lm
- /3 _ 3500 K - 11649 lm

□ →

CRI >90

Control

2167 __ / __

- __ / _ 1 DALI-2
- __ / _ 3 1-10V
- __ / _ Z Casambi

Materials

Stick: Wood. Spacers: Aluminum.
 Diffuser: Polycarbonate.
 Canopy: Steel.

Light Source and electronics

15 x LED STRIP 5,8W 30V
 Constant Voltage 30V
 100-240V 50/60Hz

Packaging

2 Boxes
 Total Vol 0,1570 m³
 Gross weight 12,6 Kg Net weight 6,6 Kg

Notes

219282 Built-in accessory (136 mm) Beige D1
 219283 Built-in accessory (136 mm) Brown D1

Surface and built-in fitting.
 Extra cable length.

