

Halo


Design by Martín Azúa

A seamless merging of light and matter, Halo lends the effect of light floating in the air. Powered by LED bulbs that remain invisible within their opalized, spherical moulds, the light flows freely from its source.


Pendant




2330
Ø 55,5 cm



2331
89 cm
2 Units




2332
127 cm
3 Units




2333
197 cm
5 Units

Each project is unique.
 Personalise your own
 Halo composition
 quick and easy.



2330



Finishes
 03/ __ White
 (RAL 9016)

LED Colour Temperature
 /1 _ 2700 K - 1904 lm
 CRI >90
 /2 _ 3000 K - 1726 lm
 CRI >80
 [D] >

Control
 2330 __ / __
 __ / _ 1 DALI-2
 __ / _ 3 1-10V
 __ / _ Z Casambi

Materials
 LED support: Aluminum.
 Diffuser: PMMA.
 Canopy: Steel.


Light Source and electronics
 1 x LED STRIP 24V 23 W
 Constant Voltage 24V
 100~277V 50/60Hz

Packaging
 1 Box 0,60 x 0,60 x 0,27 m
 Vol 0,0972 m³
 Gross weight 5,75 Kg Net weight 3,75 Kg

Notes
 Extra cable length.



2331



Finishes
 ● **03/** __ White (RAL 9016)

LED Colour Temperature
 /1 _ 2700 K - 3808 lm CRI >90
 /2 _ 3000 K - 3453 lm CRI >80
D >

Control
2331 __ / __
 __ / _ 1 DALI-2
 __ / _ 3 1-10V
 __ / _ Z Casambi

Materials
 LED support: Aluminum.
 Diffuser: PMMA.
 Canopy: Steel


Packaging
 1 Box 0,60 x 0,60 x 0,27 m
 Vol 0,0972 m³
 Gross weight 10,25 Kg Net weight 6,25 Kg

Light Source and electronics
 2 x LED STRIP 24V 23 W
 Constant Voltage 24V
 100~277V 50/60Hz

Notes
 Extra cable length.

LED ⓘ IP20 CE UK ENEC ⓘ Multi-volt

2332



Finishes
 ● **03/** __ White (RAL 9016)

LED Colour Temperature
 /1 _ 2700 K - 5712 lm CRI >90
 /2 _ 3000 K - 5180 lm CRI >80
D >

Control
2332 __ / __
 __ / _ 1 DALI-2
 __ / _ 3 1-10V
 __ / _ Z Casambi

Materials
 LED support: Aluminum.
 Diffuser: PMMA.
 Canopy: Steel.


Packaging
 1 Box 0,60 x 0,60 x 0,27 m
 Vol 0,0972 m³
 Gross weight 14,75 Kg Net weight 8,75 Kg

Light Source and electronics
 3 x LED STRIP 24V 23 W
 Constant Voltage 24V
 100~277V 50/60Hz

Notes
 Extra cable length.

LED ⓘ IP20 CE UK ENEC ⓘ Multi-volt

2333



Finishes
 ● **03/** __ White (RAL 9016)

LED Colour Temperature
 /1 _ 2700 K - 9520 lm CRI >90
 /2 _ 3000 K - 8633 lm CRI >80
D >

Control
2333 __ / __
 __ / _ 1 DALI-2
 __ / _ 3 1-10V
 __ / _ Z Casambi

Materials
 LED support: Aluminum.
 Diffuser: PMMA.
 Canopy: Steel.

Packaging
 2 Boxes
 Total Vol 0,1106 m³
 Gross weight 23,75 Kg Net weight 13,75 Kg

Light Source and electronics
 5 x LED STRIP 24V 23 W
 Constant Voltage 24V
 100~277V 50/60Hz

Notes
 Extra cable length.

LED ⓘ IP20 CE UK ENEC ⓘ Multi-volt

