

Dama

Design by Ludovica+Roberto Palomba


Dama is a homage to the classic lamp, ideal for shaping an intimate atmosphere with an elevated aesthetic.

Combining technical quality with a layer of warmth and intimacy, the collection connects the charm of tradition with the finesse of contemporary lighting design.

Table Floor Pendant



3225



Finishes

- 11/ _ _ Black (NCS S 8500-N)
- 25/ _ _ Beige D1 (NCS S 4005-Y50R)

LED Colour Temperature

/1 _ 2700 K - 2170 lm



CRI >90

Control

3225 _ _ / _ _

_ _ / 15 Push

_ _ / 1Z Casambi

_ _ / 1Y ProtoPixel*

Materials

Tube: Steel.
Base: Zinc Alloy.
Shade: Paper.

Light Source and electronics

1 x LED STRIP 16,7 W 900 mA
Constant Voltage 24V
100-240V. 50/60Hz

Packaging

1 Box 0,75 x 0,55 x 0,55 m
Vol 0,23 m³
Gross weight 3,3 Kg Net weight 1,8 Kg

Notes


ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us).

*Available from January 2025.

Switch on the cable. Electric cable 2,5 m.



3230



- Finishes**
- 11/ __ Black (NCS S 8500-N)
 - 25/ __ Beige D1 (NCS S 4005-Y50R)

LED Colour Temperature
 /1_ 2700 K - 2170 lm
 E →
 CRI >90

Control

3230 __ / __
 __ / 15 Push
 __ / 1Z Casambi
 __ / 1Y ProtoPixel*

Materials

Tube: Steel.
 Base: Zinc Alloy.
 Shade: Paper.

Light Source and electronics
 1 x LED STRIP 16,7 W 900 mA
 Constant Voltage 24V
 100-240V. 50/60Hz

Packaging

1 Box 1,6 x 0,55 x 0,55 m
 Vol 0,48 m³
 Gross weight 5 Kg Net weight 2,55 Kg

Notes


ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us).

*Available from January 2025.

Switch on the cable. Electric cable 2,5 m.

LED IP20 CE UK ENE Bi-volt

3235




- Finishes**
- 11/ __ Black (NCS S 8500-N)
 - 25/ __ Beige D1 (NCS S 4005-Y50R)

LED Colour Temperature
 /1_ 2700 K - 2170 lm
 E →
 CRI >90

Control

3235 __ / __
 __ / 11 DALI-2
 __ / 1B Push; 1-10V
 __ / 1Z Casambi

Select Electrical connection



_10 Surface
 _18 Free Wire
 _23 Built-in XS
 _31 Remote Micro
 _32 Remote XXS

Materials

Body: Aluminum.
 Shade: Paper.

Light Source and electronics
 1 x LED STRIP 16,7 W 900 mA
 Constant Current 900 mA
 110-240V. 50/60Hz

Packaging

1 Box 0,40 x 0,55 x 0,55 m
 Vol 0,12 m³
 Gross weight 3,2 Kg Net weight 1,6 Kg

Notes

Extra cable length.

LED IP20 CE UK ENE Bi-volt




⚡ Select Electrical connection

For each composition, the optimal minimum number of drivers will be delivered.

For Ref. 3235

Drop ceiling

_31
Remote Micro



Ø 3 cm
height 7 cm

for plaster ceilings.
Black finish.

_32
Remote XXS



Ø 6 cm
height 6 cm

for all types of drop ceilings.
Match with fixture finish.

_23
Built-in XS



Ø 8 cm
height 6 cm

match with fixture finish.

Regular ceiling


_10
Surface



Ø 17,3 cm


match with fixture finish.

_18
Free Wire



1 wire

Ø 20 cm




2 wires

Ø 22 cm



3 - 6 wires

Ø 36 cm




7 - 8 wires

Ø 40 cm

you can choose the finish of the canopy among black, white or any colour matching one of the Pendant.

Remote



Built-in

