

Origami


Design by Ramón Esteve

Recalling the folded paper of the Japanese art form for which it's named, Origami generates a stunning play of light and shadows. Composed of two architectural modules that be arranged in countless personalized designs, it creates the effect of climbing ivy along a blank expanse of wall.

Wall Outdoor

4500

30 x 30 cm



4501

30 x 30 cm




4504

53 x 63cm




4506

70 x 91 cm




4508

94 x 107 cm




Each project is unique. Visit vibia.com and chose among multiple compositions designed and adapted to your project needs.

Personalise your own Origami composition quick and easy at vibia.com



4500



- Finishes**
- 10/ __ White (NCS S 0300-N)
 - 29/ __ Brown D1 (NCS S 8005-Y50R)
 - 38/ __ Terra Dark (NCS S 5040-Y70R)
 - 53/ __ Green M1 (NCS S 6005-G80Y)

LED Colour Temperature

/1 _ 2700 K - 756 lm

/3 _ 3500 K - 799 lm

CRI >90

Control

4500 __ / _ 4 TRIAC

Materials

Shade: ABS.
 Diffuser: PC- Polycarbonate.
 Lid: PC- Polycarbonate.
 Arm: PC- Polycarbonate.

Light Source and electronics

1 x LED STRIP 6,3 W 350 mA
 Constant Current 350 mA
 110-277V 50/60Hz

Packaging


1 Box 0,35 x 0,35 x 0,12 m
 Vol 0,0150 m³
 Gross weight 1,5 Kg Net weight 1 Kg

Notes

A maximum of 30 modules can be connected to a single connection point. For bigger compositions, check connection system



4501



Finishes

- **10/** __ White (NCS S 0300-N)
- **29/** __ Brown D1 (NCS S 8005-Y50R)
- **38/** __ Terra Dark (NCS S 5040-Y70R)
- **53/** __ Green M1 (NCS S 6005-G80Y)

LED Colour Temperature

/1 2700 K - 756 lm
 D

/3 3500 K - 799 lm
 E

CRI >90






Control
4501 __ / __ **4** TRIAC

Materials
 Shade: ABS.
 Diffuser: PC- Polycarbonate.
 Lid: PC- Polycarbonate.
 Arm: PC- Polycarbonate.


Light Source and electronics
 1 x LED STRIP 6,3 W 350 mA
 Constant Current 350 mA
 110-277V 50/60Hz

Packaging
 1 Box 0,35 x 0,35 x 0,12 m
 Vol 0,0150 m³
 Gross weight 1,5 Kg Net weight 1 Kg

Notes
 A maximum of 30 modules can be connected to a single connection point. For bigger compositions, check connection system

LED  IP65  CE  UK  ENEC 

4504



Finishes

- **10/** __ White (NCS S 0300-N)
- **29/** __ Brown D1 (NCS S 8005-Y50R)
- **38/** __ Terra Dark (NCS S 5040-Y70R)
- **53/** __ Green M1 (NCS S 6005-G80Y)

LED Colour Temperature

/1 2700 K - 1512 lm
 D

/3 3500 K - 1598 lm
 E

CRI >90






Control
4504 __ / __ **4** TRIAC

Materials
 Shade: ABS.
 Diffuser: PC- Polycarbonate.
 Lid: PC- Polycarbonate.
 Arm: PC- Polycarbonate.


Light Source and electronics
 2 x LED STRIP 6,3 W 350 mA
 Constant Current 350 mA
 110-277V 50/60Hz

Packaging
 1 Box 0,64 x 0,40 x 0,22 m
 Vol 0,0563 m³
 Gross weight 4,05 Kg Net weight 2,15 Kg

Notes
 A maximum of 30 modules can be connected to a single connection point. For bigger compositions, check connection system

LED  IP65  CE  UK  ENEC 

4506



Finishes

- **10/** __ White (NCS S 0300-N)
- **29/** __ Brown D1 (NCS S 8005-Y50R)
- **38/** __ Terra Dark (NCS S 5040-Y70R)
- **53/** __ Green M1 (NCS S 6005-G80Y)

LED Colour Temperature

/1 2700 K - 2269 lm
 D

/3 3500 K - 2397 lm
 E

CRI >90






Control
4506 __ / __ **4** TRIAC

Materials
 Shade: ABS.
 Diffuser: PC- Polycarbonate.
 Lid: PC- Polycarbonate.
 Arm: PC- Polycarbonate.


Light Source and electronics
 3 x LED STRIP 6,3 W 350 mA
 Constant Current 350 mA
 110-277V 50/60Hz

Packaging
 1 Box 0,95 x 0,40 x 0,22 m
 Vol 0,0836 m³
 Gross weight 5,33 Kg Net weight 3,23 Kg

Notes
 A maximum of 30 modules can be connected to a single connection point. For bigger compositions, check connection system

LED  IP65  CE  UK  ENEC 

4508



- Finishes**
- 10/ _ _ White (NCS S 0300-N)
 - 29/ _ _ Brown D1 (NCS S 8005-Y50R)
 - 38/ _ _ Terra Dark (NCS S 5040-Y70R)
 - 53/ _ _ Green M1 (NCS S 6005-G80Y)

LED Colour Temperature

/1_ 2700 K - 3025 lm
 D

/3_ 3500 K - 3196 lm
 E

CRI >90

Control

4508 _ _ / _ 4 TRIAC

Materials

Shade: ABS.
 Diffuser: PC- Polycarbonate.
 Lid: PC- Polycarbonate.
 Arm: PC- Polycarbonate.

Light Source and electronics

4 x LED STRIP 6,3 W 350 mA
 Constant Current 350 mA
 110-277V 50/60Hz

Packaging

1 Box 1,25 x 0,40 x 0,22 m
 Vol 0,1100 m³
 Gross weight 7,2 Kg Net weight 6,48 Kg

Notes

A maximum of 30 modules can be connected to a single connection point. For bigger compositions, check connection system

