

Africa

Design by Francisco Gomez Paz

An object of desire, Africa is a unique gift that combines richness of form and materiality with high performance lighting capabilities. A holistic exploration of beauty and functionality.

Table



5580

Ø 5 x 45 cm

Portable



5585

Ø 5 x 40 cm

Portable



5590

Ø 5 x 45 cm

Bolt-down




5595

Ø 5 x 40 cm

Bolt-down

5580



Finishes

- **24/** __ Beige M1 (NCS S 2005-Y50R)
- **25/** __ Beige D1 (NCS S 4005-Y50R)
- **29/** __ Brown D1 (NCS S 8005-Y50R)
- **38/** __ Terra Dark (NCS S 5040-Y70R)

Materials

Body: Aluminium.
Diffuser: PC- Polycarbonate

Light Source and electronics

1 x LED 4,5W 500 mA
Output: DC 5.0 V 2.0 A 10.0W
Input: 100~240V 50/60Hz

LED Colour Temperature

/1 _ 2700 K - 520 lm
E →
CRI >90

Control

5580 __ / 15 Push

Packaging


1 Box 0,08 m x 0,53 m
Vol 0,0026 m³
Gross weight 1,23 Kg Net weight 0,9 Kg

Notes

Battery capacity 10,000mAh.
Battery voltage 3,7V.
Rechargeable battery autonomy:
6,5h at 100% Intensity.
10h at 66% Intensity.
20h at 33% Intensity.

LED IP20 CE UK ENEC Bi-volt

5585



- Finishes**
- 24/ _ _ Beige M1 (NCS S 2005-Y50R)
 - 25/ _ _ Beige D1 (NCS S 4005-Y50R)
 - 29/ _ _ Brown D1 (NCS S 8005-Y50R)
 - 38/ _ _ Terra Dark (NCS S 5040-Y70R)

LED Colour Temperature
/1_ 2700 K - 520 lm
E
CRI >90

Control
5585 _ _ / 15 Push

Materials
Body: Aluminium.
Diffuser: PC- Polycarbonate.


Light Source and electronics
1 x LED 4,5W 500 mA
Output: DC 5.0 V 2.0 A 10.0W
Input: 100-240V 50/60Hz

Packaging
1 Box 0,08 m x 0,53 m
Vol 0,0026 m³
Gross weight 1,23 Kg Net weight 0,9 Kg

Notes
Battery capacity 10.000mAh.
Battery voltage 3,7V.
Rechargeable battery autonomy:
6,5h at 100% Intensity.
10h at 66% Intensity.
20h at 33% Intensity.

LED IP20 CE UK ENEC Bi-volt

5590



- Finishes**
- 24/ _ _ Beige M1 (NCS S 2005-Y50R)
 - 25/ _ _ Beige D1 (NCS S 4005-Y50R)
 - 29/ _ _ Brown D1 (NCS S 8005-Y50R)
 - 38/ _ _ Terra Dark (NCS S 5040-Y70R)

LED Colour Temperature
/1_ 2700 K - 520 lm
E
CRI >90

Control
5590 _ _ / 15 Push

Materials
Body: Aluminium.
Diffuser: PC- Polycarbonate.


Light Source and electronics
1 x LED 4,5W 500 mA 9V
Output: DC 5.0 V 2.0 A 10.0W

Packaging
1 Box 0,08 m x 0,53 m
Vol 0,0026 m³
Gross weight 1,3 Kg Net weight 0,950 Kg

Notes
Electric cable 2 m

LED IP20 CE UK ENEC

5595



- Finishes**
- 24/ _ _ Beige M1 (NCS S 2005-Y50R)
 - 25/ _ _ Beige D1 (NCS S 4005-Y50R)
 - 29/ _ _ Brown D1 (NCS S 8005-Y50R)
 - 38/ _ _ Terra Dark (NCS S 5040-Y70R)

LED Colour Temperature
/1_ 2700 K - 520 lm
E
CRI >90

Control
5595 _ _ / 15 Push

Materials
Body: Aluminium.
Diffuser: PC- Polycarbonate.

Light Source and electronics
1 x LED 4,5W 500 mA 9V
Output: DC 5.0 V 2.0 A 10.0W


Packaging
1 Box 0,08 m x 0,53 m
Vol 0,0026 m³
Gross weight 1,3 Kg Net weight 0,950 Kg

Notes
Electric cable 2 m


LED IP20 CE UK ENEC



A439
Ø 27 cm



A440
Ø 27 cm

A439**Finishes**

● 83/ __ Walnut (Tray)

Materials

Tray: Wood (Rustic Walnut)
Output: DC 5.0V 4.0 A.
Input: 100-240V 50/60Hz

Control


A439 83 / 00 On/ Off

Packaging

1 Box 0,350 x 0,350 x 0,090 m
Vol 0,0110 m³
Gross weight 1,2 Kg Net weight 0,750 Kg

Notes

Electric cable with plug.
Electric cable 2 m

**A440****Finishes**

● 83/ __ Walnut (Tray)

Materials

Tray: Wood (Rustic Walnut).
Output: DC 5.0V 4.0 A.
Input: 100-240V 50/60Hz

Control

A440 83 / 00 On/ Off

Packaging

1 Box 0,350 x 0,350 x 0,090 m
Vol 0,0110 m³
Gross weight 1,2 Kg Net weight 0,750 Kg

Notes

Electric cable with plug.
Electric cable 2 m



