
Pendant

INDIVIDUAL MODEL






6160
Ø 22 cm




6165
Ø 28,5 cm

MULTIPLE MODELS



INDIVIDUAL MODEL

6160




- Finishes**
- 10/ _ _ White (NCS S 0300-N)
 - 15/ _ _ Grey L2 (NCS S 2500-N)
 - 16/ _ _ Grey M1 (NCS S 4500-N)
 - 21/ _ _ Black Grey (NCS S 7000-N)
 - 24/ _ _ Beige M1 (NCS S 2005-Y50R)
 - 37/ _ _ Terra Red (NCS S 4040-Y70R)
- Finish customization**
 (Available options: Vibia colour palette.)
 Minimum quantity 10 units. Price + 10%

- LED Colour Temperature**
- /1 _ 2700 K - 1170 lm
 - /2 _ 3000 K - 1251 lm
 - /3 _ 3500 K - 1251 lm
- E →
 CRI >90

- Control**
- 6160 _ _ / _ _
- _ _ / _ 1 DALI-2
 - _ _ / _ B Push; 1-10V
 - _ _ / _ Z Casambi

Select Electrical connection



- _10 Surface
- _18 Free Wire
- _23 Built-in XS
- _31 Remote Micro
- _32 Remote XXS

Materials
 Diffuser: PC- Polycarbonate. Shade: Aluminum.
 Led support: Aluminum. Tube: Steel. Canopy: Steel.


Packaging
 Total Vol 0,04 m3
 Gross weight 4,40 Kg Net weight 2,15 Kg

Light Source and electronics
 1 x LED PLATE 10,5 W 15 V
 Constant Current 700 mA
 110-240V 50/60Hz

Notes
 Extra cable length.

LED IP20 CE UK ENEC Bi-volt

6165




- Finishes**
- 10/ _ _ White (NCS S 0300-N)
 - 15/ _ _ Grey L2 (NCS S 2500-N)
 - 16/ _ _ Grey M1 (NCS S 4500-N)
 - 21/ _ _ Black Grey (NCS S 7000-N)
 - 24/ _ _ Beige M1 (NCS S 2005-Y50R)
 - 37/ _ _ Terra Red (NCS S 4040-Y70R)
- Finish customization**
 (Available options: Vibia colour palette.)
 Minimum quantity 10 units. Price + 10%

- LED Colour Temperature**
- /1 _ 2700 K - 1170 lm
 - /2 _ 3000 K - 1251 lm
 - /3 _ 3500 K - 1251 lm
- E →
 CRI >90

- Control**
- 6165 _ _ / _ _
- _ _ / _ 1 DALI-2
 - _ _ / _ B Push; 1-10V
 - _ _ / _ Z Casambi

Select Electrical connection



- _10 Surface
- _18 Free Wire
- _23 Built-in XS
- _31 Remote Micro
- _32 Remote XXS

Materials
 Diffuser: PC- Polycarbonate. Shade: Aluminum.
 Led support: Aluminum. Tube: Steel. Canopy: Steel.

Packaging
 Total Vol 0,04 m3
 Gross weight 4,40 Kg Net weight 2,15 Kg

Light Source and electronics
 1 x LED PLATE 10,5 W 15 V
 Constant Current 700 mA
 110-240V 50/60Hz


Notes
 Extra cable length.

LED IP20 CE UK ENEC Bi-volt


Tube Free

MULTIPLE MODELS


Select your model at vibia.com and adjust



2 x 6160



2 x 6165 + 1 x 6160



4 x 6165



4 x 6160




5 x 6165



7 x 6165



8 x 6160




8 x 6165



10 x 6160



19 x 6160



24 x 6165




3 x 6165



5 x 6165



6 x 6165



29 x 6160



10 x 6160



16 x 6160 From: 8.240,00 €



5 x 6165 From: 3.100,00 €



8 x 6160 From: 4.120,00 €

See more
multiple models
at vibia.com

- Finishes**
- **10/** __ White
(NCS S 0300-N)
 - **15/** __ Grey L2
(NCS S 2500-N)
 - **16/** __ Grey M1
(NCS S 4500-N)
 - **21/** __ Black Grey
(NCS S 7000-N)
 - **24/** __ Beige M1
(NCS S 2005-Y50R)
 - **37/** __ Terra Red
(NCS S 4040-Y70R)

Finish customization
(Available options:
Vibia colour palette.
Minimum quantity
10 units. Price + 10%)

LED Colour Temperature
/1 2700 K
/2 3000 K
/3 3500 K
CRI >90




Control
Model __ / __
____ / _ 1 DALI-2
____ / _ B Push; 1-10V
____ / _ Z Casambi


⚡ Select Electrical connection

For each composition, the optimal minimum number of drivers will be delivered.






For Ref. 6160, 6165

Drop ceiling

<p>_31 Remote Micro</p>  <p>Ø 3 cm height 7 cm</p> <p>for plaster ceilings. Black finish.</p>	<p>_32 Remote XXS</p>  <p>Ø 6 cm height 6 cm</p> <p>for all types of drop ceilings. Match with fixture finish.</p>	<p>_23 Built-in XS</p>  <p>Ø 8 cm height 6 cm</p> <p>match with fixture finish.</p>
--	---	--



Regular ceiling

<p>_10 Surface</p>  <p>Ø 16,8 cm</p> <p>match with fixture finish.</p>	<p>_18 Free Wire</p>  <p>1 wire</p> <p>Ø 20 cm</p> <p>you can choose the finish of the canopy among black, white or any colour matching one of the Pendant.</p>	 <p>2 - 3 wires</p> <p>Ø 22 cmv</p>	 <p>4 - 6 wires</p> <p>Ø 36 cm</p>	 <p>7 - 9 wires</p> <p>Ø 40 cm</p>
---	--	--	--	--

Materials
Diffuser: PC- Polycarbonate. Shade: Aluminum.
Led support: Aluminum. Tube: Steel. Canopy: Steel.

Notes
Additional cable length from 2 m. **16,00 €/m**

