


DOT P

Omar Carraglia - Davide Groppi / 2015



A tool to light.

A luminaire designed for use with state-of-the-art LED modules to offer superior performance and a wide range of light beams.

Luminaire available also in ENDLESS version.

Elemento di luce.

Un apparecchio progettato per utilizzare moduli a LED in grado di fornire prestazioni superiori ed un'ampia gamma di fasci luminosi. Apparecchio illuminante disponibile anche nella versione ENDLESS.


DOT P

Omar Carraglia - Davide Groppi / 2015

Wall-Ceiling / Direct / Indoor

Material	Metal
Finish	.03 Matt White .04 Matt Black .49 Matt Black/Polished Gold

Note Wall luminaire. Adjustable in all directions. DOT P DE and DOT P DE 51: dual emission versions. DOT P ENDLESS and DOT P ENDLESS CASAMBI: luminaires dedicated to ENDLESS system (Max 48V DC - Max 150W - Max 4A). They can be used, on the same circuit, with the ENDLESS models. *Apparecchio illuminante da parete. Orientabile in tutte le direzioni. DOT P DE e DOT P DE 51: versioni a doppia emissione. DOT P ENDLESS e DOT P ENDLESS CASAMBI: apparecchi illuminanti dedicati al sistema ENDLESS (Max 48V DC - Max 150W - Max 4A) ed utilizzabili, sullo stesso circuito, con i modelli ENDLESS.*




DOT P

13W
100-240V - 50/60Hz
2700K / 3000K
CRI >97
Driver integrated
DALI

CE IP20

Matt White - 2700K - DALI
Matt White - 3000K - DALI
Matt Black - 2700K - DALI
Matt Black - 3000K - DALI
Matt Black/Polished Gold - 2700K - DALI
Matt Black/Polished Gold - 3000K - DALI

1A2340300.27.01
1A2340300.30.01
1A2340400.27.01
1A2340400.30.01
1A2344900.27.01
1A2344900.30.01



DOT P

13W
100-240V - 50/60Hz
2700K / 3000K
CRI >97
Driver integrated
PUSH


CE IP20

Matt White - 2700K - PUSH
Matt White - 3000K - PUSH
Matt Black - 2700K - PUSH
Matt Black - 3000K - PUSH
Matt Black/Polished Gold - 2700K - PUSH
Matt Black/Polished Gold - 3000K - PUSH

1A2340300.27.04
1A2340300.30.04
1A2340400.27.04
1A2340400.30.04
1A2344900.27.04
1A2344900.30.04

DOT P

Omar Carraglia - Davide Groppi / 2015




DOT P 51

Max 10W - GU10
100-240V - 50/60Hz
ON/OFF
Bulb not included

CE IP20

Matt White - ON/OFF
Matt Black - ON/OFF
Matt Black/Polished Gold - ON/OFF

1A2490300.00.00
1A2490400.00.00
1A2494900.00.00




DOT P ENDLESS

ENDLESS version only
13W - 0,34A
48V DC
2700K / 3000K
CRI >97
Driver not included

CE IP20 E

Matt White - 2700K
Matt White - 3000K
Matt Black - 2700K
Matt Black - 3000K
Matt Black/Polished Gold - 2700K
Matt Black/Polished Gold - 3000K

1A2340300.27.40
1A2340300.30.40
1A2340400.27.40
1A2340400.30.40
1A2344900.27.40
1A2344900.30.40




DOT P ENDLESS CASAMBI

ENDLESS version only
15,5W - 0,4A
48V DC
2700K / 3000K
CRI >97
Driver not included

CE IP20 E A

Matt White - 2700K
Matt White - 3000K
Matt Black - 2700K
Matt Black - 3000K
Matt Black/Polished Gold - 2700K
Matt Black/Polished Gold - 3000K

1A2340300.27.41
1A2340300.30.41
1A2340400.27.41
1A2340400.30.41
1A2344900.27.41
1A2344900.30.41



DOT P DE

Dual emission
29W
220-240V - 50/60Hz
2700K / 3000K
CRI >97
Driver integrated
DALI

CE IP20


Matt White - 2700K - DALI	1A4900300.27.01
Matt White - 3000K - DALI	1A4900300.30.01
Matt Black - 2700K - DALI	1A4900400.27.01
Matt Black - 3000K - DALI	1A4900400.30.01
Matt Black/Polished Gold - 2700K - DALI	1A4904900.27.01
Matt Black/Polished Gold - 3000K - DALI	1A4904900.30.01

Compulsory accessories / Accessori obbligatori

Other accessories / Altri accessori



Lens / Lente			Not included
Beam - 14°	2700K - CRI >97 - 983lm	DOT P	1A3090000.00.00
	3000K - CRI >97 - 1038lm		
	2700K - CRI >97 - 983lm	DOT P ENDLESS	
	3000K - CRI >97 - 1038lm		
	2700K - CRI >97 - 983lm	DOT P ENDLESS CASAMBI	
	2700K - CRI >97 - 1966lm	DOT P DE	
Beam - 24°	2700K - CRI >97 - 943lm	DOT P	1A3100000.00.00
	3000K - CRI >97 - 996lm		
	2700K - CRI >97 - 943lm	DOT P ENDLESS	
	3000K - CRI >97 - 996lm		
	2700K - CRI >97 - 943lm	DOT P ENDLESS CASAMBI	
	2700K - CRI >97 - 1886lm	DOT P DE	
Beam - 36°	2700K - CRI >97 - 955lm	DOT P	1A3110000.00.00
	3000K - CRI >97 - 1005lm		
	2700K - CRI >97 - 955lm	DOT P ENDLESS	
	3000K - CRI >97 - 1005lm		
	2700K - CRI >97 - 955lm	DOT P ENDLESS CASAMBI	
	2700K - CRI >97 - 1910lm	DOT P DE	
Beam - 50°	2700K - CRI >97 - 965lm	DOT P	1A3120000.00.00
	3000K - CRI >97 - 1016lm		
	2700K - CRI >97 - 965lm	DOT P ENDLESS	
	3000K - CRI >97 - 1016lm		
	2700K - CRI >97 - 965lm	DOT P ENDLESS CASAMBI	
	2700K - CRI >97 - 1930lm	DOT P DE	
3000K - CRI >97 - 2032lm			



DOT P DE 51


Dual emission
Max 2x10W - GU10
100-240V - 50/60Hz
ON/OFF
Bulb not included

CE IP20

Matt White - ON/OFF	1A3810300.00.00
Matt Black - ON/OFF	1A3810400.00.00
Matt Black/Polished Gold - ON/OFF	1A3814900.00.00

Optional accessories / Accessori opzionali

Other accessories / Altri accessori




Accessory holder + Honeycomb louvre / Porta accessori + Frangiluce nido d'ape				Not included
		DOT P /	1X0080400.01.00	
		DOT P ENDLESS /		
		DOT P ENDLESS CASAMBI /		
		DOT P DE		



Elliptical filter / Filtro ellittico				Not included
Standard	Compulsory with 1X0080400.01.00	DOT P /	1X0080000.02.00	
		DOT P ENDLESS /		
		DOT P ENDLESS CASAMBI /		
		DOT P DE		



Blue filter / Filtro blu				Not included
Standard	Compulsory with 1X0080400.01.00	DOT P /	1X0080000.03.00	
		DOT P ENDLESS /		
		DOT P ENDLESS CASAMBI /		
		DOT P DE		



Red filter / Filtro rosso				Not included
Standard	Compulsory with 1X0080400.01.00	DOT P /	1X0080000.04.00	
		DOT P ENDLESS /		
		DOT P ENDLESS CASAMBI /		
		DOT P DE		



Yellow filter / Filtro giallo				Not included
Standard	Compulsory with 1X0080400.01.00	DOT P /	1X0080000.05.00	
		DOT P ENDLESS /		
		DOT P ENDLESS CASAMBI /		
		DOT P DE		

Optional accessories / Accessori opzionali

Bulbs / Lampadine



LED - GU10 - PAR16			Not included
	220-240V - 5,5W - 25°	DOT P 51 / DOT P DE 51	1Y0330500
	3000K - 375lm - CRI >97		
	Energy Efficiency G - Dimmable		




LED SORAA - GU10 - MR16			Not included
	230V - 7,5W - 10°	DOT P 51 / DOT P DE 51	1Y1580210
	2700K - 390lm - CRI >95		
	Energy Efficiency G - Dimmable		




LED SORAA - GU10 - MR16			Not included
	230V - 7,5W - 10°	DOT P 51 / DOT P DE 51	1Y1580010
	3000K - 410lm - CRI >95		
	Energy Efficiency G - Dimmable		

Other accessories / Altri accessori



Darklight			Not included
	LED SORAA - GU10 - MR16	DOT P 51 / DOT P DE 51	1Y1580040



25° beam filter / Filtro fascio 25°			Not included
	LED SORAA - GU10 - MR16	DOT P 51 / DOT P DE 51	1Y1580020



36° beam filter / Filtro fascio 36°			Not included
	LED SORAA - GU10 - MR16	DOT P 51 / DOT P DE 51	1Y1580030