




Plasterboard track for recessed installation.  
It is designed for use with state-of-the-art LED modules  
to create a wide range of light beams.

Binario per installazione da incasso per cartongesso.  
Ideato per utilizzare moduli a LED di ultima generazione  
ed avere un'ampia disponibilità di fasci luminosi.

Layout example



Systems / Direct / Indoor

Material Metal - Polycarbonate


Finish .03 Matt White .04 Matt Black .49 Matt Black/Polished Gold

Note Recessed track system operating at 48V DC.

Sistema a binario da incasso funzionante a 48V DC.

Compulsory accessories / Accessori obbligatori

Installation kits / Kit d'installazione



<b>Plasterboard track 12,5 mm / Binario per cartongesso 12,5 mm</b>		Not included
Matt Black	48V DC - Max 15A Length 2000 mm Cut-out 2000x26 mm	1A2810400.01.00



<b>Power connector / Elemento di alimentazione</b>		Not included
Matt Black	Output 48V - Max 15A	1A2810400.02.00







<b>End cap for power connector / Tappo di chiusura per alimentazione</b>		Not included
Matt Black		1A2810400.03.00



<b>End cap / Tappo di chiusura</b>		Not included
Matt Black		1A2810400.04.00

Compulsory accessories / Accessori obbligatori







Drivers / Alimentatori

	<b>Driver / Alimentatore</b>	Not included
100-240V	48V/150W/IP67/1-10V	1Z1120250
	<b>Driver / Alimentatore</b>	Not included
100-240V	48V/320W/IP67/1-10V	1Z1120380
	<b>Driver / Alimentatore</b>	Not included
	Input 100-240V - 50/60Hz Output 48V - 150W - IP20 - DALI	1A2810000.11.00
	<b>Driver / Alimentatore</b>	Not included
	Input 100-240V - 50/60Hz Output 48V - 320W - IP20 - DALI	1A2810000.12.00

The sizes are expressed in millimeters.

Optional accessories / Accessori opzionali

Installation kits / Kit d'installazione


	<b>Linear connector / Connettore lineare</b>	Not included
Matt Black	Output 48V - Max 15A	1A2810400.05.00
	<b>Reinforcing bracket / Staffa di rinforzo</b>	Not included
Matt Black		1A2810400.06.00
	<b>Clamp with M6 grippe / Morsetto con pinza M6</b>	Not included
		1A2810000.07.00
	<b>Suspension set / Set sospensione</b>	Not included
		1A2810000.08.00
	<b>Plaster installation guard / Protezione per installazione cartongesso</b>	Not included
	Length 2000 mm	1A2810000.09.00
	<b>Cutting tool / Tronchese per taglio</b>	Not included
		1A2810000.10.00

# FRAMELESS

/ 2016

## Compulsory accessories / Accessori obbligatori

Luminaires / Corpi illuminanti



### DOT FRAMELESS

13W

48V DC

2700K / 3000K

CRI >97

Driver integrated

DALI

CE IP20

Matt White - 2700K - DALI

1A0090300.27.01

Matt White - 3000K - DALI

1A0090300.30.01

Matt Black - 2700K - DALI

1A0090400.27.01

Matt Black - 3000K - DALI

1A0090400.30.01

Matt Black/Polished Gold - 2700K - DALI

1A0094900.27.01

Matt Black/Polished Gold - 3000K - DALI

1A0094900.30.01

## Other accessories / Altri accessori



### Lens / Lente

Not included


Beam - 14°	2700K - CRI >97 - 983lm	DOT FRAMELESS	1A3090000.00.00
	3000K - CRI >97 - 1038lm		
Beam - 24°	2700K - CRI >97 - 943lm	DOT FRAMELESS	1A3100000.00.00
	3000K - CRI >97 - 996lm		
Beam - 36°	2700K - CRI >97 - 955lm	DOT FRAMELESS	1A3110000.00.00
	3000K - CRI >97 - 1005lm		
Beam - 50°	2700K - CRI >97 - 965lm	DOT FRAMELESS	1A3120000.00.00
	3000K - CRI >97 - 1016lm		

# FRAMELESS

/ 2016

## Optional accessories / Accessori opzionali


Other accessories / Altri accessori



### Accessory holder + Honeycomb louvre / Porta accessori + Frangiluce nido d'ape

Not included


DOT FRAMELESS 1X0080400.01.00



### Elliptical filter / Filtro ellittico

Not included

Standard Compulsory with 1X0080400.01.00 DOT FRAMELESS 1X0080000.02.00



### Blue filter / Filtro blu

Not included


Standard Compulsory with 1X0080400.01.00 DOT FRAMELESS 1X0080000.03.00



### Red filter / Filtro rosso

Not included

Standard Compulsory with 1X0080400.01.00 DOT FRAMELESS 1X0080000.04.00



### Yellow filter / Filtro giallo

Not included

Standard Compulsory with 1X0080400.01.00 DOT FRAMELESS 1X0080000.05.00