

Profiles designed to create projects with continuous light.

Profili pensati per realizzare progetti di luce continua.


Systems / Direct / Indoor

**Material** Metal  
**Finish** .00 Standard

**Note** Profile with continuous light. *Profilo a luce continua.*

**Compulsory accessories / Accessori obbligatori**

Installation kits / Kit d'installazione



<b>Aluminium profile 2 m / Profilo in alluminio 2 m</b>		Not included
Standard	With opal cover	1A4970000.01.00



<b>Cap / Tappo</b>		Not included
Standard		1A4970000.02.00



<b>Fixing spring / Molla di fissaggio</b>		Not included
Standard		1A4970000.03.00


**Compulsory accessories / Accessori obbligatori**

LED modules / Moduli LED




<b>Strip LED - 5 m - IP20</b>		Not included
	Input 24V DC - 63W - IP20 2700K - 6200lm - CRI >94	1A5010000.27.20
	Input 24V DC - 63W - IP20 3000K - 6900lm - CRI >94	1A5010000.30.20


Drivers / Alimentatori




<b>Driver / Alimentatore</b>		Not included
100-240V	24V/80W/IP20/ON/OFF	1Z1120440




<b>Driver / Alimentatore</b>		Not included
100-240V	24V/96W/IP67/1-10V	1Z1120540



<b>Driver / Alimentatore</b>		Not included
100-240V	24V/150W/IP67/1-10V	1Z1120500



<b>Controller</b>		Not included
	DALI - PUSH - 0/1-10V - TRIAC - IP20	1Z2170010



Profiles designed to create projects with continuous light.

Profili pensati per realizzare progetti di luce continua.

# LIGHTLINE 1010

/ 2023

Systems / Direct / Indoor


**Material** Metal  
**Finish** .00 Standard

**Note** Profile with continuous light.

*Profilo a luce continua.*

## Compulsory accessories / Accessori obbligatori

Installation kits / Kit d'installazione



<b>Aluminium profile 2 m / Profilo in alluminio 2 m</b>		Not included
Standard	With opal cover	1A4970000.04.00



<b>Cap / Tappo</b>		Not included
Standard		1A4970000.05.00



<b>Fixing spring / Molla di fissaggio</b>		Not included
Standard		1A4970000.06.00

# LIGHTLINE 1010

/ 2023


## Compulsory accessories / Accessori obbligatori

LED modules / Moduli LED




<b>Strip LED - 5 m - IP20</b>		Not included
	Input 24V DC - 63W - IP20 2700K - 6200lm - CRI >94	1A5010000.27.20
	Input 24V DC - 63W - IP20 3000K - 6900lm - CRI >94	1A5010000.30.20


Drivers / Alimentatori




<b>Driver / Alimentatore</b>		Not included
100-240V	24V/80W/IP20/ON/OFF	1Z1120440




<b>Driver / Alimentatore</b>		Not included
100-240V	24V/96W/IP67/1-10V	1Z1120540



<b>Driver / Alimentatore</b>		Not included
100-240V	24V/150W/IP67/1-10V	1Z1120500



<b>Controller</b>		Not included
	DALI - PUSH - 0/1-10V - TRIAC - IP20	1Z2170010



Profiles designed to create projects with continuous light.

Profili pensati per realizzare progetti di luce continua.


Systems / Direct / Indoor

Material Metal  
Finish .00 Standard


Note Profile with continuous light. *Profilo a luce continua.*

**Compulsory accessories / Accessori obbligatori**


Installation kits / Kit d'installazione



Aluminium profile 2 m / Profilo in alluminio 2 m Not included  
Standard 1A4970000.07.00



Opal cover 2 m / Diffusore opale 2 m Not included  
Standard 1A4970000.08.00




Transparent cover 2 m / Diffusore trasparente 2 m Not included  
Standard 1A4970000.09.00




Satin cover 2 m / Diffusore satinato 2 m Not included  
Standard 1A4970000.10.00



Cap / Tappo Not included  
Standard 1A4970000.11.00



Adhesive 1 m / Adesivo 1 m Not included  
Standard 1A4970000.12.00



Adhesive magnet 1 m / Calamita adesiva 1 m Not included  
Standard 1A4970000.13.00

The sizes are expressed in millimeters.

**Compulsory accessories / Accessori obbligatori**

LED modules / Moduli LED



Strip LED - 5 m - IP20 Not included  
Input 24V DC - 63W - IP20 1A5010000.27.20  
2700K - 6200lm - CRI >94  
Input 24V DC - 63W - IP20 1A5010000.30.20  
3000K - 6900lm - CRI >94



Strip LED - 5 m - IP20 Not included  
Input 24V DC - 72W - IP20 1A4980000.27.20  
2700K - 7100lm - CRI >80  
Input 24V DC - 72W - IP20 1A4980000.30.20  
3000K - 7875lm - CRI >80




Strip LED - 5 m - IP20 Not included  
Input 24V DC - 96W - IP20 1A4990000.27.20  
2700K - 10500lm - CRI >80  
Input 24V DC - 96W - IP20 1A4990000.30.20  
3000K - 11700lm - CRI >80




Strip LED - 5 m - IP65 Not included  
Input 24V DC - 72W - IP65 1A5000000.27.20  
2700K - 7100lm - CRI >82  
Input 24V DC - 72W - IP65 1A5000000.30.20  
3000K - 7875lm - CRI >82


Drivers / Alimentatori




Driver / Alimentatore Not included  
100-240V 24V/80W/IP20/ON/OFF 1Z1120440




Driver / Alimentatore Not included  
100-240V 24V/96W/IP67/1-10V 1Z1120540



Driver / Alimentatore Not included  
100-240V 24V/150W/IP67/1-10V 1Z1120500



Controller Not included  
DALI - PUSH - 0/1-10V - TRIAC - IP20 1Z2170010



Profiles designed to create projects with continuous light.

Profili pensati per realizzare progetti di luce continua.

Systems / Direct / Indoor


Material Metal  
Finish .00 Standard

Note Recessed profile with continuous light.


Profilo da incasso a luce continua.

Compulsory accessories / Accessori obbligatori


Installation kits / Kit d'installazione




Aluminium profile 2 m / Profilo in alluminio 2 m Not included  
Standard 1A4970000.14.00



Opal cover 2 m / Diffusore opale 2 m Not included  
Standard 1A4970000.08.00




Transparent cover 2 m / Diffusore trasparente 2 m Not included  
Standard 1A4970000.09.00




Satin cover 2 m / Diffusore satinato 2 m Not included  
Standard 1A4970000.10.00



Cap / Tappo Not included  
Standard 1A4970000.15.00



Fixing spring / Molla di fissaggio Not included  
Standard 1A4970000.16.00



Formwork kit 2 m / Kit cassaforma 2 m Not included  
Standard 1A4970000.17.00

The sizes are expressed in millimeters.

Compulsory accessories / Accessori obbligatori

LED modules / Moduli LED



Strip LED - 5 m - IP20 Not included  
Input 24V DC - 63W - IP20 1A5010000.27.20  
2700K - 6200lm - CRI >94  
Input 24V DC - 63W - IP20 1A5010000.30.20  
3000K - 6900lm - CRI >94



Strip LED - 5 m - IP20 Not included  
Input 24V DC - 72W - IP20 1A4980000.27.20  
2700K - 7100lm - CRI >80  
Input 24V DC - 72W - IP20 1A4980000.30.20  
3000K - 7875lm - CRI >80




Strip LED - 5 m - IP20 Not included  
Input 24V DC - 96W - IP20 1A4990000.27.20  
2700K - 10500lm - CRI >80  
Input 24V DC - 96W - IP20 1A4990000.30.20  
3000K - 11700lm - CRI >80




Strip LED - 5 m - IP65 Not included  
Input 24V DC - 72W - IP65 1A5000000.27.20  
2700K - 7100lm - CRI >82  
Input 24V DC - 72W - IP65 1A5000000.30.20  
3000K - 7875lm - CRI >82


Drivers / Alimentatori




Driver / Alimentatore Not included  
100-240V 24V/80W/IP20/ON/OFF 1Z1120440



Driver / Alimentatore Not included  
100-240V 24V/96W/IP67/1-10V 1Z1120540




Driver / Alimentatore Not included  
100-240V 24V/150W/IP67/1-10V 1Z1120500



Controller Not included  
DALI - PUSH - 0/1-10V - TRIAC - IP20 1Z2170010





Profiles designed to create projects with continuous light.

Profili pensati per realizzare progetti di luce continua.

# LIGHTLINE 7454

/ 2023


Systems / Direct / Indoor

**Material** Metal  
**Finish** .00 Standard

**Note** Recessed profile with continuous light. *Profilo da incasso a luce continua.*

## Compulsory accessories / Accessori obbligatori

Installation kits / Kit d'installazione



<b>Aluminium profile 2 m / Profilo in alluminio 2 m</b>	Not included
Standard	1A4970000.18.00



<b>Opal cover 2 m / Diffusore opale 2 m</b>	Not included
Standard	1A4970000.19.00

The sizes are expressed in millimeters.

# LIGHTLINE 7454

/ 2023

## Compulsory accessories / Accessori obbligatori

LED modules / Moduli LED



<b>Strip LED - 5 m - IP20</b>	Not included
Input 24V DC - 63W - IP20 2700K - 6200lm - CRI >94	1A5010000.27.20
Input 24V DC - 63W - IP20 3000K - 6900lm - CRI >94	1A5010000.30.20



<b>Strip LED - 5 m - IP20</b>	Not included
Input 24V DC - 72W - IP20 2700K - 7100lm - CRI >80	1A4980000.27.20
Input 24V DC - 72W - IP20 3000K - 7875lm - CRI >80	1A4980000.30.20




<b>Strip LED - 5 m - IP20</b>	Not included
Input 24V DC - 96W - IP20 2700K - 10500lm - CRI >80	1A4990000.27.20
Input 24V DC - 96W - IP20 3000K - 11700lm - CRI >80	1A4990000.30.20




<b>Strip LED - 5 m - IP65</b>	Not included
Input 24V DC - 72W - IP65 2700K - 7100lm - CRI >82	1A5000000.27.20
Input 24V DC - 72W - IP65 3000K - 7875lm - CRI >82	1A5000000.30.20


Drivers / Alimentatori




<b>Driver / Alimentatore</b>	Not included
100-240V 24V/80W/IP20/ON/OFF	1Z1120440



<b>Driver / Alimentatore</b>	Not included
100-240V 24V/96W/IP67/1-10V	1Z1120540



<b>Driver / Alimentatore</b>	Not included
100-240V 24V/150W/IP67/1-10V	1Z1120500



<b>Controller</b>	Not included
DALI - PUSH - 0/1-10V - TRIAC - IP20	1Z2170010