Athena 2700K - Black

Naoto Fukasawa

IP20 ☐ CE

DESCRIPTION

A floor lamp with indirect diffused emission, whose minimal footprint is the main feature of the project. Two identical thin discs at the base and top are connected by a slender tubular stem. Its minimal elegance makes it a timeless object. Its simple forms are ideal for any public and privateenvironment and match with any style.

1831

ø320

LUMINAIRE

– Watt: **44W**
– Voltage: **220-240V**
– Delivered lumen output: **3266lm**
– CCT: **2700K**
– Efficiency: **88%**
– Efficacy: **74.22lm/W**
– CRI: **90**
– Dimmer Typology: **Touch Dimmer**

FEATURES

– Product Code: **1833W30A**
– Colour: **Black**
– Installation: **Floor**
– Material: **Aluminium, steel**
– Series: **Design Collection**
– design by: **Naoto Fukasawa**

DIMENSIONS

– Height: **1830 mm**
– Diameter: **320 mm**
– Base Diameter: **320 mm**
– Glow Wire Test: **650°**

SOURCES INCLUDED

– Category: **Led**
– Number: **1**
– Watt: **37W**
– Delivered lumen output: **3710lm**
– Color temperature (K): **2700K**
– CRI: **90**
– Color Tolerance: **MacAdam 2SDCM**

We reserve the right to change our product specifications. — Last update: September 2023
Please visit www.artemide.com for the latest product information

Artemide

Athena 2700K - White

Naoto Fukasawa

IP20 ☐ CE

1831
ø320

DESCRIPTION

A floor lamp with indirect diffused emission, whose minimal footprint is the main feature of the project. Two identical thin discs at the base and top are connected by a slender tubular stem. Its minimal elegance makes it a timeless object. Its simple forms are ideal for any public and privateenvironment and match with any style.

LUMINAIRE

– Watt: **44W**
– Voltage: **220-240V**
– Delivered lumen output: **3266lm**
– CCT: **2700K**
– Efficiency: **88%**
– Efficacy: **74.22lm/W**
– CRI: **90**
– Dimmer Typology: **Touch Dimmer**

FEATURES

– Product Code: **1833W20A**
– Colour: **White**
– Installation: **Floor**
– Material: **Aluminium, steel**
– Series: **Design Collection**
– design by: **Naoto Fukasawa**

DIMENSIONS

– Height: **1830 mm**
– Diameter: **320 mm**
– Base Diameter: **320 mm**
– Glow Wire Test: **650°**

SOURCES INCLUDED

– Category: **Led**
– Number: **1**
– Watt: **37W**
– Delivered lumen output: **3710lm**
– Color temperature (K): **2700K**
– CRI: **90**
– Color Tolerance: **MacAdam 2SDCM**

We reserve the right to change our product specifications. — Last update: September 2023
Please visit www.artemide.com for the latest product information

Artemide

Athena 3000K - Black

Naoto Fukasawa

IP20 □ C E

DESCRIPTION

A floor lamp with indirect diffused emission, whose minimal footprint is the main feature of the project. Two identical thin discs at the base and top are connected by a slender tubular stem. Its minimal elegance makes it a timeless object. Its simple forms are ideal for any public and privateenvironment and match with any style.

1831

ø320

LUMINAIRE

– Watt: **44W**
– Voltage: **220-240V**
– Delivered lumen output: **3492lm**
– CCT: **3000K**
– Efficiency: **88%**
– Efficacy: **79.36lm/W**
– CRI: **90**
– Dimmer Typology: **Touch Dimmer**

FEATURES

– Product Code: **1833030A**
– Colour: **Black**
– Installation: **Floor**
– Material: **Aluminium, steel**
– Series: **Design Collection**
– design by: **Naoto Fukasawa**

DIMENSIONS

– Height: **1830 mm**
– Diameter: **320 mm**
– Base Diameter: **320 mm**
– Glow Wire Test: **650°**

SOURCES INCLUDED

– Category: **Led**
– Number: **1**
– Watt: **37W**
– Delivered lumen output: **3968lm**
– Color temperature (K): **3000K**
– CRI: **90**
– Color Tolerance: **MacAdam 2SDCM**

Artemide

Athena 3000K - White

Naoto Fukasawa

IP20 ☐ CE

1831
ø320

DESCRIPTION

A floor lamp with indirect diffused emission, whose minimal footprint is the main feature of the project. Two identical thin discs at the base and top are connected by a slender tubular stem. Its minimal elegance makes it a timeless object. Its simple forms are ideal for any public and privateenvironment and match with any style.

LUMINAIRE

– Watt: **44W**
– Voltage: **220-240V**
– Delivered lumen output: **3492lm**
– CCT: **3000K**
– Efficiency: **88%**
– Efficacy: **79.36lm/W**
– CRI: **90**
– Dimmer Typology: **Touch Dimmer**

FEATURES

– Product Code: **1833020A**
– Colour: **White**
– Installation: **Floor**
– Material: **Aluminium, steel**
– Series: **Design Collection**
– design by: **Naoto Fukasawa**

DIMENSIONS

– Height: **1830 mm**
– Diameter: **320 mm**
– Base Diameter: **320 mm**
– Glow Wire Test: **650°**

SOURCES INCLUDED

– Category: **Led**
– Number: **1**
– Watt: **37W**
– Delivered lumen output: **3968lm**
– Color temperature (K): **3000K**
– CRI: **90**
– Color Tolerance: **MacAdam 2SDCM**

We reserve the right to change our product specifications. — Last update: September 2023
Please visit www.artemide.com for the latest product information

Artemide

Athena White Integralis - Black

Naoto Fukasawa

IP20

DESCRIPTION

A floor lamp with indirect diffused emission, whose minimal footprint is the main feature of the project. Two identical thin discs at the base and top are connected by a slender tubular stem. Its minimal elegance makes it a timeless object. Its simple forms are ideal for any public and private environment and match with any style. In the WHITE INTEGRALIS version, Athena is designed to offer a white emission ensuring perfect perception while respecting the human presence and which at the same time combines control of microbial growth. It can vary in intensity and is available with a fixed CCT of 5000K, with a high color rendering index (CRI 90).

FEATURES

– Product Code: **1833030IN0A**
– Colour: **Black**
– Installation: **Floor**
– Material: **Aluminium, steel**
– Series: **Design Collection**
– design by: **Naoto Fukasawa**

DIMENSIONS

– Height: **1830 mm**
– Diameter: **320 mm**
– Base Diameter: **320 mm**
– Glow Wire Test: **650°**

LUMINAIRE

DAY MODE

– Watt: **44W**
– Voltage: **220-240V**
– Delivered lumen output: **4106lm**
– Radiant Flux: **2777mW**
– CCT: **5000K**
– Efficiency: **88%**
– Efficacy: **93.32lm/W**
– CRI: **90**
– Dimmer Typology: **Touch Dimmer**

SOURCES INCLUDED

– Category: **Led**
– Number: **1**
– Color temperature (K): **5000K**
– CRI: **90**
– Color Tolerance: **3SDCM**
– Service Life: **L80 (10K) 55000h**

Artemide

Athena White Integralis - White

Naoto Fukasawa

IP20

ø320 · 1831

LUMINAIRE

DAY MODE

– Watt: **44W**
– Voltage: **220-240V**
– Delivered lumen output: **4106lm**
– Radiant Flux: **2777mW**
– CCT: **5000K**
– Efficiency: **88%**
– Efficacy: **93.32lm/W**
– CRI: **90**
– Dimmer Typology: **Touch Dimmer**

DESCRIPTION

A floor lamp with indirect diffused emission, whose minimal footprint is the main feature of the project. Two identical thin discs at the base and top are connected by a slender tubular stem. Its minimal elegance makes it a timeless object. Its simple forms are ideal for any public and private environment and match with any style. In the WHITE INTEGRALIS version, Athena is designed to offer a white emission ensuring perfect perception while respecting the human presence and which at the same time combines control of microbial growth. It can vary in intensity and is available with a fixed CCT of 5000K, with a high color rendering index (CRI 90).

FEATURES

– Product Code: **1833020IN0A**
– Colour: **White**
– Installation: **Floor**
– Material: **Aluminium, steel**
– Series: **Design Collection**
– design by: **Naoto Fukasawa**

DIMENSIONS

– Height: **1830 mm**
– Diameter: **320 mm**
– Base Diameter: **320 mm**
– Glow Wire Test: **650°**

SOURCES INCLUDED

– Category: **Led**
– Number: **1**
– Color temperature (K): **5000K**
– CRI: **90**
– Color Tolerance: **3SDCM**
– Service Life: **L80 (10K) 55000h**

We reserve the right to change our product specifications. — Last update: September 2023
Please visit www.artemide.com for the latest product information

Artemide