


# Castore suspension 14 (E14)

Michele De Lucchi  
Huub Ubbens



IP 20     Dimmerable: 



## LUMINAIRE \*

- Watt: **5W**
- Voltage: **220V-240V**
- Delivered lumen output: **402lm**
- Efficiency: **86%**
- Efficacy: **80.46lm/W**
- CRI: **80**

\* Photometric data may vary depending on the source installed.  
Light measurements are provided in relative form and technical lighting calculations may be updated according to the effective source used.

## Notes

Adjustment of the luminous intensity only with dimmable bulbs.

## DESCRIPTION

The spherical diffuser design is enhanced by a removable-fitting and tapering luminous stem, that makes a sweet transition from the strong diffuser light to the blind lamp structure area. Ceiling rose and stem in thermoplastic resin, blown glass diffuser.

## FEATURES

- Product Code: **1045110a**
- Colour: **White**
- Installation: **Suspension**
- Material: **Blown glass, polycarbonate**
- Series: **Design Collection**
- Environment: **Indoor**
- Area contract: **Hospitality, Retail, Residential**
- Emission: **Diffused**
- design by: **Michele De Lucchi, Huub Ubbens**

## DIMENSIONS

- Height: **300 mm**
- Diameter: **140 mm**
- Base Diameter: **150 mm**
- Max Height from ceiling: **2000 mm**
- Glow Wire Test: **850°**

## SOURCES NOT INCLUDED


- Category: **LED RETROFIT**
- Number: **1**
- Watt: **6W**
- Socket: **E14**

# Castore suspension 25

Michele De Lucchi  
Huub Ubbens



IP20    Dimmerable:  



## LUMINAIRE \*

- Watt: **12W**
- Voltage: **220V-240V**
- Delivered lumen output: **1227lm**
- Efficiency: **81%**
- Efficacy: **102.25lm/W**
- CRI: **80**

\* Photometric data may vary depending on the source installed.  
Light measurements are provided in relative form and technical lighting calculations may be updated according to the effective source used.

## Notes

Adjustment of the luminous intensity only with dimmable bulbs.

## DESCRIPTION

The spherical diffuser design is enhanced by a removable-fitting and tapering luminous stem, that makes a sweet transition from the strong diffuser light to the blind lamp structure area. Ceiling rose and stem in thermoplastic resin, blown glass diffuser.

## FEATURES

- Product Code: **1053010A**
- Colour: **White**
- Installation: **Suspension**
- Material: **Blown glass, polycarbonate**
- Series: **Design Collection**
- Environment: **Indoor**
- Area contract: **Hospitality, Retail, Residential**
- Emission: **Diffused**
- design by: **Michele De Lucchi, Huub Ubbens**

## DIMENSIONS

- Height: **720 mm**
- Diameter: **250 mm**
- Base Diameter: **150 mm**
- Max Height from ceiling: **2220 mm**
- Glow Wire Test: **750°**

## SOURCES NOT INCLUDED

- Category: **LED RETROFIT**
- Number: **1**
- Watt: **12W**
- Socket: **E27**


# Castore suspension 35

Michele De Lucchi

Huub Ubbens



IP20       Dimmerable: 



## LUMINAIRE \*

- Watt: **21W**
- Voltage: **220V-240V**
- Delivered lumen output: **2077lm**
- Efficiency: **85%**
- Efficacy: **98.91lm/W**
- CRI: **80**

\* Photometric data may vary depending on the source installed. Light measurements are provided in relative form and technical lighting calculations may be updated according to the effective source used.

## Notes

Adjustment of the luminous intensity only with dimmable bulbs.

## DESCRIPTION

The spherical diffuser design is enhanced by a removable-fitting and tapering luminous stem, that makes a sweet transition from the strong diffuser light to the blind lamp structure area. Ceiling rose and stem in thermoplastic resin, blown glass diffuser.

## FEATURES

- Product Code: **1052010A**
- Colour: **White**
- Installation: **Suspension**
- Material: **Blown glass, polycarbonate**
- Series: **Design Collection**
- Environment: **Indoor**
- Area contract: **Hospitality, Retail, Residential**
- Emission: **Diffused**
- design by: **Michele De Lucchi, Huub Ubbens**

## DIMENSIONS

- Height: **830 mm**
- Diameter: **350 mm**
- Base Diameter: **150 mm**
- Max Height from ceiling: **2330 mm**
- Glow Wire Test: **750°**

## SOURCES NOT INCLUDED

- Category: **LED RETROFIT**
- Number: **1**
- Watt: **21W**
- Socket: **E27**


# Castore suspension 42

Michele De Lucchi

Huub Ubbens



IP20       Dimmerable: 



## LUMINAIRE \*

- Watt: **21W**
- Voltage: **220V-240V**
- Delivered lumen output: **2218lm**
- Efficiency: **90%**
- Efficacy: **105.63lm/W**
- CRI: **80**

\* Photometric data may vary depending on the source installed. Light measurements are provided in relative form and technical lighting calculations may be updated according to the effective source used.

## Notes

Adjustment of the luminous intensity only with dimmable bulbs.

## DESCRIPTION

The spherical diffuser design is enhanced by a removable-fitting and tapering luminous stem, that makes a sweet transition from the strong diffuser light to the blind lamp structure area. Ceiling rose and stem in thermoplastic resin, blown glass diffuser.

## FEATURES

- Product Code: **1051010A**
- Colour: **White**
- Installation: **Suspension**
- Material: **Blown glass, polycarbonate**
- Series: **Design Collection**
- Environment: **Indoor**
- Area contract: **Hospitality, Retail, Residential**
- Emission: **Diffused**
- design by: **Michele De Lucchi, Huub Ubbens**

## DIMENSIONS

- Height: **990 mm**
- Diameter: **420 mm**
- Base Diameter: **150 mm**
- Max Height from ceiling: **2490 mm**
- Glow Wire Test: **750°**

## SOURCES NOT INCLUDED

- Category: **LED RETROFIT**
- Number: **1**
- Watt: **21W**
- Socket: **E27**