
# Demetra Wall - 2700K - Body Lamp -Anthracite Grey

Naoto Fukasawa



IP20 🗰 🔣 🔚 C E Dimmerable: +O-



### LUMINAIRE

- Watt: 8W
- Voltage: 100-240V
- Delivered lumen output: 360Im
- CCT: **2700K**
- Efficiency: **54%**
- Efficacy: 45.00lm/W
- CRI: 90
- Dimmer Typology: Microswitch Dimmer

### Notes

Microswitch dimmer. Code related only to the body lamp, to be completed with the base/support.

# DESCRIPTION

Demetra is essential, functional and timeless. In keeping with Naoto Fukasawa's "Without Thought" approach, it is "natural" like a spontaneous expression of the harmonious relationship between the user, the object and the environment. Perfect for reading, its light can set different moods and follow the flow of our activities, at home or work, thanks also to the possibility of incorporating a motion sensor which manages the device lighting according to the proximity of the user. The wall lamp versions derive from the original table lamp.

### FEATURES

- Product Code: 1734W10A
- Colour: Grey anthracite
- Installation: Wall
- Material: Aluminium, technopolymer
- Series: Design Collection
- design by: Naoto Fukasawa

### DIMENSIONS

- Length: 635 mm
- Height: **637 mm**
- Diameter: 130 mm
- Impact Resistance: N.D.
- Glow Wire Test: 650°

- Category: Led
- Number: **1**
- Watt: 8W
- Delivered lumen output: 730lm
- Color temperature (K): 2700K
- CRI: 90
- Color Tolerance: MacAdam 2SDCM



Accessories



DEMETRA SUPPORTO W GRO 1742010A




# Demetra Wall - 2700K - Body Lamp -Opaque Black

Naoto Fukasawa



IP20 🗰 🔣 🔚 C E Dimmerable: +O-



### LUMINAIRE

- Watt: 8W
- Voltage: 100V-240V
- Delivered lumen output: 360Im
- CCT: **2700K**
- Efficiency: **54%**
- Efficacy: 45.00lm/W
- CRI: 90
- Dimmer Typology: Microswitch Dimmer

### Notes

Microswitch dimmer. Code related only to the body lamp, to be completed with the base/support.

# DESCRIPTION

Demetra is essential, functional and timeless. In keeping with Naoto Fukasawa's "Without Thought" approach, it is "natural" like a spontaneous expression of the harmonious relationship between the user, the object and the environment. Perfect for reading, its light can set different moods and follow the flow of our activities, at home or work, thanks also to the possibility of incorporating a motion sensor which manages the device lighting according to the proximity of the user. The wall lamp versions derive from the original table lamp.

### FEATURES

- Product Code: 1734W50A
- Colour: Opaque Black
- Installation: Wall
- Material: Aluminium, technopolymer
- Series: Design Collection
- design by: Naoto Fukasawa

### DIMENSIONS

- Length: 635 mm
- Height: **637 mm**
- Diameter: 130 mm
- Impact Resistance: N.D.
- Glow Wire Test: 650°

- Category: Led
- Number: **1**
- Watt: 8W
- Delivered lumen output: 730lm
- Color temperature (K): 2700K
- CRI: 90
- Color Tolerance: MacAdam 2SDCM



Accessories



Demetra - wall support opaque black 1742050A




# Demetra Wall - 2700K - Body Lamp -White

# Naoto Fukasawa



IP20 🗰 🔣 🔚 C E Dimmerable: +O-



### LUMINAIRE

- Watt: 8W
- Voltage: 100-240V
- Delivered lumen output: 360Im
- CCT: **2700K**
- Efficiency: **54%**
- Efficacy: 45.00lm/W
- CRI: 90
- Dimmer Typology: Microswitch Dimmer

### Notes

Microswitch dimmer. Code related only to the body lamp, to be completed with the base/support.

# DESCRIPTION

Demetra is essential, functional and timeless. In keeping with Naoto Fukasawa's "Without Thought" approach, it is "natural" like a spontaneous expression of the harmonious relationship between the user, the object and the environment. Perfect for reading, its light can set different moods and follow the flow of our activities, at home or work, thanks also to the possibility of incorporating a motion sensor which manages the device lighting according to the proximity of the user. The wall lamp versions derive from the original table lamp.

### FEATURES

- Product Code: 1734W20A
- Colour: White
- Installation: Wall
- Material: Aluminium, technopolymer
- Series: Design Collection
- design by: Naoto Fukasawa

### DIMENSIONS

- Length: 635 mm
- Height: **637 mm**
- Diameter: 130 mm
- Impact Resistance: N.D.
- Glow Wire Test: 650°

- Category: Led
- Number: **1**
- Watt: 8W
- Delivered lumen output: 730lm
- Color temperature (K): 2700K
- CRI: 90
- Color Tolerance: MacAdam 2SDCM



Accessories



DEMETRA SUPPORTO W BCO 1742020A




# Demetra Wall - 3000K - Body Lamp -Anthracite Grey

Naoto Fukasawa



IP20 🗰 🔣 🔚 C E Dimmerable: +O-



### LUMINAIRE

- Watt: 8W
- Voltage: 220V-240V
- Delivered lumen output: 385Im
- CCT: **3000K**
- Efficiency: **54%**
- Efficacy: 48.08lm/W
- CRI: 90
- Dimmer Typology: Microswitch Dimmer

### Notes

Microswitch dimmer. Code related only to the body lamp, to be completed with the base/support.

# DESCRIPTION

Demetra is essential, functional and timeless. In keeping with Naoto Fukasawa's "Without Thought" approach, it is "natural" like a spontaneous expression of the harmonious relationship between the user, the object and the environment. Perfect for reading, its light can set different moods and follow the flow of our activities, at home or work, thanks also to the possibility of incorporating a motion sensor which manages the device lighting according to the proximity of the user. The wall lamp versions derive from the original table lamp.

### FEATURES

- Product Code: 1734010A
- Colour: Grey anthracite
- Installation: Wall
- Material: Aluminium, technopolymer
- Series: Design Collection
- design by: Naoto Fukasawa

### DIMENSIONS

- Length: 635 mm
- Height: **637 mm**
- Diameter: 130 mm
- Impact Resistance: N.D.
- Glow Wire Test: 650°

- Category: Led
- Number: **1**
- Watt: **6W**
- Delivered lumen output: 726lm
- Color temperature (K): **3000K**
- CRI: 90
- Color Tolerance: MacAdam 2SDCM
- Efficacy: **120lm/W**
- Service Life: **50000-L70**





Accessories



DEMETRA SUPPORTO W GRO 1742010A




# Demetra Wall - 3000K - Body Lamp -Opaque Black

Naoto Fukasawa



IP20 🗰 🔣 🔚 C E Dimmerable: +O-



### LUMINAIRE

- Watt: 8W
- Voltage: 220V-240V
- Delivered lumen output: 3851m
- CCT: **3000K**
- Efficiency: **54%**
- Efficacy: 48.08lm/W
- CRI: 90
- Dimmer Typology: Microswitch Dimmer

### Notes

Microswitch dimmer. Code related only to the body lamp, to be completed with the base/support.

# DESCRIPTION

Demetra is essential, functional and timeless. In keeping with Naoto Fukasawa's "Without Thought" approach, it is "natural" like a spontaneous expression of the harmonious relationship between the user, the object and the environment. Perfect for reading, its light can set different moods and follow the flow of our activities, at home or work, thanks also to the possibility of incorporating a motion sensor which manages the device lighting according to the proximity of the user. The wall lamp versions derive from the original table lamp.


### FEATURES

- Product Code: 1734050A
- Colour: Opaque Black
- Installation: Wall
- Material: Aluminium, technopolymer
- Series: Design Collection
- design by: Naoto Fukasawa

### DIMENSIONS

- Length: 635 mm
- Height: **637 mm**
- Diameter: 130 mm
- Impact Resistance: N.D.
- Glow Wire Test: 650°

- Category: Led
- Number: **1**
- Watt: **6W**
- Delivered lumen output: 726lm
- Color temperature (K): **3000K**
- CRI: 90
- Color Tolerance: MacAdam 2SDCM
- Efficacy: **120lm/W**
- Service Life: **50000-L70**





Accessories



Demetra - wall support opaque black 1742050A




# Demetra Wall - 3000K - Body Lamp -White

Naoto Fukasawa



IP20 🗰 🔣 🔚 C E Dimmerable: +O-



### LUMINAIRE

- Watt: 8W
- Voltage: 220V-240V
- Delivered lumen output: 3851m
- CCT: **3000K**
- Efficiency: **54%**
- Efficacy: 48.08lm/W
- CRI: 90
- Dimmer Typology: Microswitch Dimmer

### Notes

Microswitch dimmer. Code related only to the body lamp, to be completed with the base/support.

# DESCRIPTION

Demetra is essential, functional and timeless. In keeping with Naoto Fukasawa's "Without Thought" approach, it is "natural" like a spontaneous expression of the harmonious relationship between the user, the object and the environment. Perfect for reading, its light can set different moods and follow the flow of our activities, at home or work, thanks also to the possibility of incorporating a motion sensor which manages the device lighting according to the proximity of the user. The wall lamp versions derive from the original table lamp.

### FEATURES

- Product Code: **1734020A**
- Colour: White
- Installation: Wall
- Material: Aluminium, technopolymer
- Series: Design Collection
- design by: Naoto Fukasawa

### DIMENSIONS


- Length: 635 mm
- Height: **637 mm**
- Diameter: 130 mm
- Impact Resistance: N.D.
- Glow Wire Test: 650°

### SOURCES INCLUDED

- Category: Led
- Number: **1**
- Watt: **6W**
- Delivered lumen output: 726lm
- Color temperature (K): **3000K**
- CRI: 90
- Color Tolerance: MacAdam 2SDCM

Artemide

- Efficacy: **120lm/W**
- Service Life: **50000-L70**



Accessories



DEMETRA SUPPORTO W BCO 1742020A




# Demetra Wall - Movement Detector -3000K - Body Lamp - Anthracite Grey

# Naoto Fukasawa



IP20 🗰 🔣 🔚 C E Dimmerable: +O-



### LUMINAIRE

- Watt: 8W
- Voltage: 220V-240V
- Delivered lumen output: 3851m
- CCT: **3000K**
- Efficiency: **54%**
- Efficacy: 48.08lm/W
- CRI: 90
- Dimmer Typology: Microswitch Dimmer

### Notes

Microswitch dimmer. Code related only to the body lamp, to be completed with the base/support.

# DESCRIPTION

Demetra is essential, functional and timeless. In keeping with Naoto Fukasawa's "Without Thought" approach, it is "natural" like a spontaneous expression of the harmonious relationship between the user, the object and the environment. Perfect for reading, its light can set different moods and follow the flow of our activities, at home or work, thanks also to the possibility of incorporating a motion sensor which manages the device lighting according to the proximity of the user. The wall lamp versions derive from the original table lamp.


### FEATURES

- Product Code: 1735010A
- Colour: Grey anthracite
- Installation: Wall
- Material: Aluminium, technopolymer
- Series: Design Collection
- design by: Naoto Fukasawa

### DIMENSIONS

- Length: 635 mm
- Height: **637 mm**
- Diameter: 130 mm
- Impact Resistance: N.D.
- Glow Wire Test: 650°

- Category: Led
- Number: **1**
- Watt: **6W**
- Delivered lumen output: 726lm
- Color temperature (K): **3000K**
- CRI: 90
- Color Tolerance: MacAdam 2SDCM
- Efficacy: **120lm/W**
- Service Life: **50000-L70**





Accessories



DEMETRA SUPPORTO W GRO 1742010A




# Demetra Wall - Movement Detector -3000K - Body Lamp - Opaque Black

# Naoto Fukasawa



IP20 🗰 🔣 🔚 C E Dimmerable: +O-



### LUMINAIRE

- Watt: 8W
- Voltage: 220V-240V
- Delivered lumen output: 385Im
- CCT: **3000K**
- Efficiency: **54%**
- Efficacy: 48.08lm/W
- CRI: 90
- Dimmer Typology: Microswitch Dimmer

### Notes

Microswitch dimmer. Code related only to the body lamp, to be completed with the base/support.

# DESCRIPTION

Demetra is essential, functional and timeless. In keeping with Naoto Fukasawa's "Without Thought" approach, it is "natural" like a spontaneous expression of the harmonious relationship between the user, the object and the environment. Perfect for reading, its light can set different moods and follow the flow of our activities, at home or work, thanks also to the possibility of incorporating a motion sensor which manages the device lighting according to the proximity of the user. The wall lamp versions derive from the original table lamp.


### FEATURES

- Product Code: 1735050A
- Colour: Opaque Black
- Installation: Wall
- Material: Aluminium, technopolymer
- Series: Design Collection
- design by: Naoto Fukasawa

### DIMENSIONS

- Length: 635 mm
- Height: **637 mm**
- Diameter: 130 mm
- Impact Resistance: N.D.
- Glow Wire Test: 650°

- Category: Led
- Number: **1**
- Watt: **6W**
- Delivered lumen output: 726lm
- Color temperature (K): **3000K**
- CRI: 90
- Color Tolerance: MacAdam 2SDCM
- Efficacy: **120lm/W**
- Service Life: **50000-L70**





Accessories



Demetra - wall support opaque black 1742050A




# Demetra Wall - Movement Detector -3000K - Body Lamp - White

# Naoto Fukasawa



IP20 🗰 🔣 🔚 C E Dimmerable: +O-



### LUMINAIRE

- Watt: 8W
- Voltage: 220V-240V
- Delivered lumen output: 385Im
- CCT: **3000K**
- Efficiency: **54%**
- Efficacy: 48.08lm/W
- CRI: 90
- Dimmer Typology: Microswitch Dimmer

### Notes

Microswitch dimmer. Code related only to the body lamp, to be completed with the base/support.

# DESCRIPTION

Demetra is essential, functional and timeless. In keeping with Naoto Fukasawa's "Without Thought" approach, it is "natural" like a spontaneous expression of the harmonious relationship between the user, the object and the environment. Perfect for reading, its light can set different moods and follow the flow of our activities, at home or work, thanks also to the possibility of incorporating a motion sensor which manages the device lighting according to the proximity of the user. The wall lamp versions derive from the original table lamp.


### FEATURES

- Product Code: **1735020A**
- Colour: White
- Installation: Wall
- Material: Aluminium, technopolymer
- Series: Design Collection
- design by: Naoto Fukasawa

### DIMENSIONS

- Length: 635 mm
- Height: **637 mm**
- Diameter: 130 mm
- Impact Resistance: N.D.
- Glow Wire Test: 650°

- Category: Led
- Number: **1**
- Watt: **6W**
- Delivered lumen output: 726lm
- Color temperature (K): **3000K**
- CRI: 90
- Color Tolerance: MacAdam 2SDCM
- Efficacy: **120lm/W**
- Service Life: **50000-L70**





Accessories



DEMETRA SUPPORTO W BCO 1742020A



# Demetra Professional Wall - 3000K -Body Lamp - Anthracite Grey


Naoto Fukasawa



# DESCRIPTION

While the size of Demetra Professional is the same as the classical version's, its enhanced emission flow provides intense lighting on the worktop. Emission is controlled by a reflector that slightly protrudes from the head's profile.





### LUMINAIRE

- Watt: **12W**
- Delivered lumen output: 960Im
- CCT: **3000K**
- Efficiency: **84%**
- Efficacy: 80.00lm/W
- CRI: 90
- Dimmer Typology: Microswitch Dimmer

### Notes

Microswitch dimmer. Code related only to the body lamp, to be completed with the base/support.


### FEATURES

- Product Code: 1739010A
- Colour: Grey anthracite
- Installation: Wall
- Material: Aluminium, technopolymer
- Series: Design Collection
- Environment: Indoor
- Emission: Direct
- design by: Naoto Fukasawa

### DIMENSIONS

- Width: 635 mm
- Height: 637 mm
- Base Diameter: **130 mm**
- Glow Wire Test: **750°**

- Category: **Led**
- Number: 1
- Watt: **9.37W**
- Delivered lumen output: 1129Im
- Color temperature (K): **3000K**
- CRI: 90
- Color Tolerance: MacAdam 2SDCM
- Efficacy: **121lm/W**
- Service Life: 50000-L70





Accessories



DEMETRA SUPPORTO W GRO 1742010A



# Demetra Professional Wall - 3000K -Body Lamp - Opaque Black


Naoto Fukasawa



# DESCRIPTION

While the size of Demetra Professional is the same as the classical version's, its enhanced emission flow provides intense lighting on the worktop. Emission is controlled by a reflector that slightly protrudes from the head's profile.





### LUMINAIRE

- Watt: **12W**
- Delivered lumen output: 960Im
- CCT: **3000K**
- Efficiency: **84%**
- Efficacy: 80.00lm/W
- CRI: 90
- Dimmer Typology: Microswitch Dimmer

### Notes

Microswitch dimmer. Code related only to the body lamp, to be completed with the base/support.


### FEATURES

- Product Code: 1739050A
- Colour: Opaque Black
- Installation: Wall
- Material: Aluminium, technopolymer
- Series: Design Collection
- Environment: Indoor
- Emission: Direct
- design by: Naoto Fukasawa

### DIMENSIONS

- Width: 635 mm
- Height: 637 mm
- Base Diameter: **130 mm**
- Glow Wire Test: **750°**

- Category: **Led**
- Number: 1
- Watt: **9.37W**
- Delivered lumen output: 1129Im
- Color temperature (K): **3000K**
- CRI: 90
- Color Tolerance: MacAdam 2SDCM
- Efficacy: **121lm/W**
- Service Life: 50000-L70





Accessories



Demetra - wall support opaque black 1742050A



# Demetra Professional Wall - 3000K -Body Lamp - White


Naoto Fukasawa



# DESCRIPTION

While the size of Demetra Professional is the same as the classical version's, its enhanced emission flow provides intense lighting on the worktop. Emission is controlled by a reflector that slightly protrudes from the head's profile.





### LUMINAIRE

- Watt: **12W**
- Delivered lumen output: 960Im
- CCT: **3000K**
- Efficiency: **84%**
- Efficacy: 80.00lm/W
- CRI: 90
- Dimmer Typology: Microswitch Dimmer

### Notes

Microswitch dimmer. Code related only to the body lamp, to be completed with the base/support.


### FEATURES

- Product Code: **1739020A**
- Colour: White
- Installation: Wall
- Material: Aluminium, technopolymer
- Series: Design Collection
- Environment: Indoor
- Emission: Direct
- design by: Naoto Fukasawa

### DIMENSIONS

- Width: 635 mm
- Height: 637 mm
- Base Diameter: **130 mm**
- Glow Wire Test: **750°**

- Category: **Led**
- Number: 1
- Watt: **9.37W**
- Delivered lumen output: 1129Im
- Color temperature (K): **3000K**
- CRI: 90
- Color Tolerance: MacAdam 2SDCM
- Efficacy: **121lm/W**
- Service Life: 50000-L70





Accessories



DEMETRA SUPPORTO W BCO 1742020A




# Demetra Professional Wall - Movement Detector - 3000K - Body Lamp -Anthracite Grey

Naoto Fukasawa



IP20 🛋 🔣 🧲 Dimmerable: +O-



### LUMINAIRE

- Watt: **12W**
- Delivered lumen output: 960lm
- CCT: **3000K**
- Efficiency: **84%**
- Efficacy: 80.00lm/W
- CRI: 90
- Dimmer Typology: Microswitch Dimmer

### Notes

Microswitch dimmer. Code related only to the body lamp, to be completed with the base/support.

# DESCRIPTION

While the size of Demetra Professional is the same as the classical version's, its enhanced emission flow provides intense lighting on the worktop. Emission is controlled by a reflector that slightly protrudes from the head's profile.

### FEATURES

- Product Code: 1740010A
- Colour: Grey anthracite
- Installation: Wall
- Material: Aluminium, technopolymer
- Series: Design Collection
- Environment: Indoor
- Emission: Direct
- design by: Naoto Fukasawa

### DIMENSIONS

- Width: 635 mm
- Height: 637 mm
- Base Diameter: **130 mm**
- Glow Wire Test: 750°

- Category: Led
- Number: **1**
- Watt: **9.37W**
- Delivered lumen output: 1129Im
- Color temperature (K): **3000K**
- CRI: 90
- Color Tolerance: MacAdam 2SDCM
- Efficacy: **121lm/W**
- Service Life: 50000-L70



Accessories



DEMETRA SUPPORTO W GRO 1742010A




# Demetra Professional Wall - Movement Detector - 3000K - Body Lamp -Opaque Black

Naoto Fukasawa



IP20 🗰 🔣 🧲 Dimmerable: +O-



### LUMINAIRE

- Watt: **12W**
- Delivered lumen output: 960Im
- CCT: **3000K**
- Efficiency: **84%**
- Efficacy: 80.00lm/W
- CRI: 90
- Dimmer Typology: Microswitch Dimmer

### Notes

Microswitch dimmer. Code related only to the body lamp, to be completed with the base/support.

# DESCRIPTION

While the size of Demetra Professional is the same as the classical version's, its enhanced emission flow provides intense lighting on the worktop. Emission is controlled by a reflector that slightly protrudes from the head's profile.

### FEATURES

- Product Code: 1740050A
- Colour: Opaque Black
- Installation: Wall
- Material: Aluminium, technopolymer
- Series: Design Collection
- Environment: Indoor
- Emission: Direct
- design by: Naoto Fukasawa

### DIMENSIONS

- Width: 635 mm
- Height: 637 mm
- Base Diameter: **130 mm**
- Glow Wire Test: **750°**

- Category: Led
- Number: **1**
- Watt: **9.37W**
- Delivered lumen output: 1129Im
- Color temperature (K): **3000K**
- CRI: 90
- Color Tolerance: MacAdam 2SDCM
- Efficacy: **121lm/W**
- Service Life: 50000-L70



Accessories



Demetra - wall support opaque black 1742050A



# Demetra Professional Wall - Movement Detector - 3000K - Body Lamp - White


Naoto Fukasawa



# DESCRIPTION

While the size of Demetra Professional is the same as the classical version's, its enhanced emission flow provides intense lighting on the worktop. Emission is controlled by a reflector that slightly protrudes from the head's profile.





### LUMINAIRE

- Watt: **12W**
- Delivered lumen output: 960Im
- CCT: **3000K**
- Efficiency: **84%**
- Efficacy: 80.00lm/W
- CRI: 90
- Dimmer Typology: Microswitch Dimmer

### Notes

Microswitch dimmer. Code related only to the body lamp, to be completed with the base/support.


### FEATURES

- Product Code: **1740020A**
- Colour: White
- Installation: Wall
- Material: Aluminium, technopolymer
- Series: Design Collection
- Environment: Indoor
- Emission: Direct
- design by: Naoto Fukasawa

### DIMENSIONS

- Width: 635 mm
- Height: 637 mm
- Base Diameter: **130 mm**
- Glow Wire Test: **750°**

- Category: **Led**
- Number: 1
- Watt: **9.37W**
- Delivered lumen output: 1129Im
- Color temperature (K): **3000K**
- CRI: 90
- Color Tolerance: MacAdam 2SDCM
- Efficacy: **121lm/W**
- Service Life: 50000-L70





Accessories



DEMETRA SUPPORTO W BCO 1742020A

