Megaron - Floor - Aluminium - LED 2700K


Gianfranco Frattini



DESCRIPTION

Pure design highlights the indirect light emitted. The elementary appeal and verticality are emphasised by the front grooves.

IP20 □ **(**€



LUMINAIRE

- Watt: **45W**

- Voltage: 220V-240V

- Delivered lumen output: 3480lm

CCT: **2700K**Efficiency: **93%**

Efficacy: 77.33lm/W

- CRI: **90**

– Dimmer Typology: **Touch Dimmer**

FEATURES

– Product Code: A0160W00– Colour: Polished aluminium

- Installation: **Floor**

 Material: Steel and technopolymer base, extruded aluminum lamp body, aluminum reflector.

- Series: **Design Collection**

- Environment: Indoor

- Area contract: All projects

- Emission: **Indirect**

- design by: Gianfranco Frattini

DIMENSIONS

Width: **150 mm**Height: **1820 mm**

Base Diameter: 350 mmImpact Resistance: N/DGlow Wire Test: 650°

SOURCES INCLUDED



PRODUCT DATA SHEET

PRODUCT CODE: A0160W00

Category: LedNumber: 1Watt: 36.36W

Delivered lumen output: 3646lmColor temperature (K): 2700K

- CRI: **90**

- Color Tolerance: MacAdam 2SDCM

Efficacy: 100lm/WService Life: 50000-L70



Megaron - Floor - Aluminium - LED 3000K


Gianfranco Frattini



DESCRIPTION

Pure design highlights the indirect light emitted. The elementary appeal and verticality are emphasised by the front grooves.

IP20 □ **(**€



FEATURES

– Product Code: A016000– Colour: Polished aluminium

- Installation: **Floor**

 Material: Steel and technopolymer base, extruded aluminum lamp body, aluminum reflector.

- Series: **Design Collection**

- Environment: Indoor

- Area contract: All projects

- Emission: **Indirect**

- design by: Gianfranco Frattini

LUMINAIRE

- Watt: **45W**

- Voltage: **220V-240V**

- Delivered lumen output: 3697lm

CCT: **3000K**Efficiency: **93%**

- Efficacy: 82.16lm/W

- CRI: **90**

– Dimmer Typology: **Touch Dimmer**

DIMENSIONS

Width: **150 mm**Height: **1820 mm**

Base Diameter: 350 mmImpact Resistance: N/DGlow Wire Test: 650°

SOURCES INCLUDED



PRODUCT DATA SHEET

PRODUCT CODE: A016000

Category: LedNumber: 1Watt: 36.55W

Delivered lumen output: 4007lmColor temperature (K): 3000K

- CRI: **90**

- Color Tolerance: MacAdam 2SDCM

Efficacy: 110lm/WService Life: 50000-L70

Megaron - Floor - Black - LED 2700K


Gianfranco Frattini



DESCRIPTION

Pure design highlights the indirect light emitted. The elementary appeal and verticality are emphasised by the front grooves.

IP20 □ **(**€ **(**



LUMINAIRE

- Watt: **45W**

- Voltage: **220V-240V**

- Delivered lumen output: 3480lm

- CCT: **2700K**- Efficiency: **93%**- Efficacy: **77.33lm/W**

- CRI: 90

- Dimmer Typology: **Touch Dimmer**

FEATURES

- Product Code: A0160W50- Colour: Polished black

- Installation: Floor

 Material: Steel and technopolymer base, extruded aluminum lamp body, aluminum reflector.

Series: Design CollectionEnvironment: Indoor

- Area contract: All projects

- Emission: **Indirect**

- design by: Gianfranco Frattini

DIMENSIONS

Width: **150 mm**Height: **1820 mm**

Base Diameter: 350 mmImpact Resistance: N/DGlow Wire Test: 650°

SOURCES INCLUDED

Category: LedNumber: 1Watt: 36.36W

Delivered lumen output: 3646lmColor temperature (K): 2700K

- CRI: **90**

- Color Tolerance: MacAdam 2SDCM

Efficacy: 100lm/WService Life: 50000-L70



Megaron - Floor - Black - LED 3000K


Gianfranco Frattini



DESCRIPTION

Pure design highlights the indirect light emitted. The elementary appeal and verticality are emphasised by the front grooves.

IP20 □ **(**€



FEATURES

Product Code: A016050Colour: Polished blackInstallation: Floor

 Material: Steel and technopolymer base, extruded aluminum lamp body, aluminum reflector.

Series: Design CollectionEnvironment: IndoorArea contract: All projects

- Emission: **Indirect**

- design by: Gianfranco Frattini

LUMINAIRE

- Watt: **45W**

- Voltage: **220V-240V**

- Delivered lumen output: **3697Im**

- CCT: **3000K**- Efficiency: **93%**- Efficacy: **82.16lm/W**

- CRI: 90

- Dimmer Typology: **Touch Dimmer**

DIMENSIONS

Width: **150 mm**Height: **1820 mm**

Base Diameter: 350 mmImpact Resistance: N/DGlow Wire Test: 650°

SOURCES INCLUDED

Category: LedNumber: 1Watt: 36.55W

Delivered lumen output: 4007lmColor temperature (K): 3000K

- CRI: **90**

- Color Tolerance: MacAdam 2SDCM

Efficacy: 110lm/WService Life: 50000-L70

