Skydro Ceiling Led 2700K


Ross Lovegrove



DESCRIPTION

Ceiling lamp, a further development of the Hydro series. A series of pebbles forms a bright sky reflecting the light that bounces on its biomorphic surfaces.





LUMINAIRE

- Watt: 29W
- Delivered lumen output: 1554lm
- CCT: 2700K
- Efficiency: 58%
- Efficacy: 53.59lm/W
- CRI: 90
- Dimmable Typology: Push

Notes

Available in two versions: the first, in which the indirect light comes from a lighting unit integrated into the lamp, the second, in which the indirect light comes from a wall projector that is separate from the lamp. Skydro is a sectional unit that enables numerous elements to be added. To assemble the multiple units it needs - in addition to the basic units (with or without light source) - an assembly kit (template) and cable kits for the electrical connection.

FEATURES


- Product Code: 1245W10A
- Colour: Polished chrome
- Installation: Ceiling
- Material: Aluminium, steel, ABS
- Series: Design Collection
- Environment: Indoor
- Emission: Indirect
- design by: Ross Lovegrove

DIMENSIONS

- Height: **1360 mm**
- Diameter: 1420 mm
- Depth: **420 mm**
- Glow Wire Test: 960°C

SOURCES INCLUDED

- Category: Led
- Number: **1**
- Watt: 29W
- Color temperature (K): 2700K
- CRI: 90
- Color Tolerance: MacAdam 2SDCM





PRODUCT DATA SHEET

PRODUCT CODE: 1245W10A

Accessories

NO IMAGE AVAILABLE SKYDRO PLAFONE KIT MONTAGGIO MODULI 1235010A

SKYDRO PLAFONE LED KIT CAVI COLLEG. 1246010A



SKYDRO PLAFONE * 1234010A



Skydro Ceiling Led 3000K


Ross Lovegrove



DESCRIPTION

Ceiling lamp, a further development of the Hydro series. A series of pebbles forms a bright sky reflecting the light that bounces on its biomorphic surfaces.





LUMINAIRE

- Watt: 29W
- Delivered lumen output: 1662lm
- CCT: **3000K**
- Efficiency: 58%
- Efficacy: 57.31lm/W
- CRI: **90**
- Dimmable Typology: Push

Notes

Available in two versions: the first, in which the indirect light comes from a lighting unit integrated into the lamp, the second, in which the indirect light comes from a wall projector that is separate from the lamp. Skydro is a sectional unit that enables numerous elements to be added. To assemble the multiple units it needs - in addition to the basic units (with or without light source) - an assembly kit (template) and cable kits for the electrical connection.

FEATURES


- Product Code: 1245110A
- Colour: Polished chrome
- Installation: Ceiling
- Material: Aluminium, steel, ABS
- Series: Design Collection
- Environment: Indoor
- Emission: Indirect
- design by: Ross Lovegrove

DIMENSIONS

- Height: 1360 mm
- Diameter: 1420 mm
- Depth: 420 mm
- Glow Wire Test: 960°C

SOURCES INCLUDED

- Category: Led
- Number: 1
- Watt: 29W
- Delivered lumen output: 4230lm
- Color temperature (K): 3000K
- CRI: 90
- Color Tolerance: MacAdam 2SDCM





PRODUCT DATA SHEET

PRODUCT CODE: 1245110A

Accessories

NO IMAGE AVAILABLE SKYDRO PLAFONE KIT MONTAGGIO MODULI 1235010A

SKYDRO PLAFONE LED KIT CAVI COLLEG. 1246010A



SKYDRO PLAFONE * 1234010A

