


# Chilone Floor 45 Anthracite gray

Ernesto Gismondi



IP65   



## LUMINAIRE

- Watt: **8W**
- Voltage: **220V-240V**
- Delivered lumen output: **350lm**
- CCT: **3000K**
- Efficiency: **48%**
- Efficacy: **43.69lm/W**
- CRI: **80**

## Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

## DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

## FEATURES

- Product Code: **T082220**
- Colour: **Anthracite gray**
- Installation: **Bollard, Floor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

## DIMENSIONS

- Length: **175 mm**
- Width: **168 mm**
- Height: **450 mm**

## SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **8W**
- Color temperature (K): **3000K**
- CRI: **80**

# Chilone Floor 45 Gray/white

Ernesto Gismondi



IP65   



## LUMINAIRE

- Watt: **8W**
- Voltage: **220V-240V**
- Delivered lumen output: **350lm**
- CCT: **3000K**
- Efficiency: **48%**
- Efficacy: **43.69lm/W**
- CRI: **80**

## Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

## DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

## FEATURES

- Product Code: **T082200**
- Colour: **Gray/white**
- Installation: **Bollard, Floor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

## DIMENSIONS

- Length: **175 mm**
- Width: **168 mm**
- Height: **450 mm**

## SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **8W**
- Color temperature (K): **3000K**
- CRI: **80**

# Chilone Floor 45 Rust


Ernesto Gismondi

## DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.



IP65   



## LUMINAIRE

- Watt: **8W**
- Voltage: **220V-240V**
- Delivered lumen output: **350lm**
- CCT: **3000K**
- Efficiency: **48%**
- Efficacy: **43.69lm/W**
- CRI: **80**

## Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

## FEATURES

- Product Code: **T082210**
- Colour: **Rust**
- Installation: **Bollard, Floor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

## DIMENSIONS

- Length: **175 mm**
- Width: **168 mm**
- Height: **450 mm**

## SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **8W**
- Color temperature (K): **3000K**
- CRI: **80**

# Chilone Floor 90 Anthracite gray

Ernesto Gismondi



IP65   



## LUMINAIRE

- Watt: **8W**
- Voltage: **220V-240V**
- Delivered lumen output: **350lm**
- CCT: **3000K**
- Efficiency: **48%**
- Efficacy: **43.69lm/W**
- CRI: **80**

## Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

## DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

## FEATURES

- Product Code: **T082120**
- Colour: **Anthracite gray**
- Installation: **Bollard, Floor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

## DIMENSIONS

- Length: **175 mm**
- Width: **168 mm**
- Height: **900 mm**

## SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **8W**
- Color temperature (K): **3000K**
- CRI: **80**

# Chilone Floor 90 Gray/white

Ernesto Gismondi



IP65   



## LUMINAIRE

- Watt: **8W**
- Voltage: **220V-240V**
- Delivered lumen output: **350lm**
- CCT: **3000K**
- Efficiency: **48%**
- Efficacy: **43.69lm/W**
- CRI: **80**

## Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

## DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

## FEATURES

- Product Code: **T082100**
- Colour: **Gray/white**
- Installation: **Bollard, Floor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

## DIMENSIONS

- Length: **175 mm**
- Width: **168 mm**
- Height: **900 mm**

## SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **8W**
- Color temperature (K): **3000K**
- CRI: **80**

# Chilone Floor 90 Rust

Ernesto Gismondi



IP65   



## LUMINAIRE

- Watt: **8W**
- Voltage: **220V-240V**
- Delivered lumen output: **350lm**
- CCT: **3000K**
- Efficiency: **48%**
- Efficacy: **43.69lm/W**
- CRI: **80**

## Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

## DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

## FEATURES

- Product Code: **T082110**
- Colour: **Rust**
- Installation: **Bollard, Floor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

## DIMENSIONS

- Length: **175 mm**
- Width: **168 mm**
- Height: **900 mm**

## SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **8W**
- Color temperature (K): **3000K**
- CRI: **80**

# Chilone Up Floor Anthracite gray

Ernesto Gismondi



IP65   



## LUMINAIRE

- Watt: **14W**
- Voltage: **220V-240V**
- Delivered lumen output: **865lm**
- CCT: **3000K**
- Efficiency: **66%**
- Efficacy: **61.81lm/W**
- CRI: **80**

## Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

## DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

## FEATURES

- Product Code: **T082320**
- Colour: **Anthracite gray**
- Installation: **Bollard, Floor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

## DIMENSIONS

- Length: **160 mm**
- Width: **168 mm**
- Height: **490 mm**

## SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **16W**
- Color temperature (K): **3000K**
- Color Tolerance: **MacAdam 2SDCM**
- Service Life: **L70 (6K) 50000h**

# Chilone Up Floor Gray/white

Ernesto Gismondi



IP65   



## LUMINAIRE

- Watt: **14W**
- Voltage: **220V-240V**
- Delivered lumen output: **865lm**
- CCT: **3000K**
- Efficiency: **66%**
- Efficacy: **61.81lm/W**
- CRI: **80**

## Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

## DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

## FEATURES

- Product Code: **T082300**
- Colour: **Gray/white**
- Installation: **Bollard, Floor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

## DIMENSIONS

- Length: **160 mm**
- Width: **168 mm**
- Height: **490 mm**

## SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **16W**
- Color temperature (K): **3000K**
- Color Tolerance: **MacAdam 2SDCM**
- Service Life: **L70 (6K) 50000h**




# Chilone Up Floor Rust

Ernesto Gismondi



IP65   



## LUMINAIRE

- Watt: **14W**
- Voltage: **220V-240V**
- Delivered lumen output: **865lm**
- CCT: **3000K**
- Efficiency: **66%**
- Efficacy: **61.81lm/W**
- CRI: **80**

## Notes

Floor version is available in three heights and in Up model. Floor fixing with ground mounting plate.

## DESCRIPTION

Floor and wall matching outdoor luminaires. It is possible to install the device with the light pointed either downwards or upwards.

## FEATURES

- Product Code: **T082310**
- Colour: **Rust**
- Installation: **Pole, Floor**
- Material: **Aluminum, polycarbonate**
- Series: **Architectural Outdoor**
- Environment: **Outdoor**
- Area contract: **null**
- Emission: **Direct**
- design by: **Ernesto Gismondi**

## DIMENSIONS

- Length: **160 mm**
- Width: **168 mm**
- Height: **490 mm**

## SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **16W**
- Color temperature (K): **3000K**
- Color Tolerance: **MacAdam 2SDCM**
- Service Life: **L70 (6K) 50000h**